

SUNWAY WINSTAR
QUALITY • INTEGRITY • EFFICIENCY



CATALOGUE
2021/22

CONTENTS

	Helmet	1
	Headshield	7
	Spectacle	9
	Goggle	14
	Ear Plug	16
	Ear Muffle	19
	Mask	20
	Safety Coverall, Raincoat	29
	Safety Vest	33
	Safety Apron	36
	Arm Sleeve	37
	Head Cover, Leather Jacket	38
	Life Jacket, PP Coverall	40

CONTENTS

	Mop Cap, Beard Cover, Shoe Cover	41
	Back Support Belt	42
	Rubber Glove	43
	Knitted Glove	46
	Leather Glove	52
	Shoe / Boot	56
	Body Harness	72
	Lanyard, Absorber, Carabiner, Quick Link	78
	Rope, Lifting, Tripod	80
	Body Harness (Economic)	84
	Cargo Lash, Webbing Sling	85
	Construction Mesh	88
	Baton Light, Triangle Sign	90

CONTENTS

	Torch, Signal Lamp	91
	Convex Mirror, Sign	94
	Safety Cone, Delineator Pole	95
	Road Hump, Stopper	99
	Reflective Tape	100
	Plastic Chain	104
	Safety Sign	105
	S: Thermal (Heat) Insulations	108



Safety Helmet (H/Duty)

Code	Model	Colour	Packing	RM
PCH9910Y	9910	Yellow	40/ctn	18.00
PCH9910W	9910	White	40/ctn	18.00
PCH9910B	9910	Blue	40/ctn	18.00
PCH9910O	9910	Orange	40/ctn	18.00
PCH9910R	9910	Red	40/ctn	18.00

PICASAF safety helmet is a type of helmet predominantly used in workplace environments such as industrial or construction sites to protect the head from injury due to falling objects, impact with other objects, debris.

* Material : ABS

* Description : Helmet with slide lock system
Come with Fusion Headgear



0.59 x 0.45 x 0.62m, GW 17.4kg



Ratchet Safety Helmet (H/Duty)

Code	Model	Colour	Packing	RM
PCRH9912Y	9912	Yellow	40/ctn	32.00
PCRH9912W	9912	White	40/ctn	32.00
PCRH9912B	9912	Blue	40/ctn	32.00
PCRH9912O	9912	Orange	40/ctn	32.00
PCRH9912R	9912	Red	40/ctn	32.00

* Material : ABS

* Description : Helmet with Ratchet lock system
Come with Ratchet Fusion Headgear



0.59 x 0.45 x 0.62m, GW 17.4kg





Safety Helmet (Medium Duty)

Code	Colour	Brand	Packing	RM
SBSHB	Blue	Sobar	20/ctn	10.00
SBSHO	Orange	Sobar	20/ctn	10.00
SBSHR	Red	Sobar	20/ctn	10.00
SBSHW	White	Sobar	20/ctn	10.00
SBSHY	Yellow	Sobar	20/ctn	10.00

* Come with elastic chain strap (white, yellow, red, orange, blue)

* Fusion Head Gear

* Loose Pack



Special Colour

SBSHSP	OEM	Sobar	20/ctn
--------	-----	-------	--------

* Special order : MOQ 1000pcs

SOBAR®



Safety Helmet (Medium Duty) Fixed

Code	Colour	Brand	Packing	RM
SBSHWF	White	Sobar	40	10.40
SBSHYF	Yellow	Sobar	40	10.40

* Completed fixed / 完成组装

SOBAR®





Head Gear

Code	Model	Packing	RM
PCHGB1	B1	50/ctn	14.00



0.82 x 0.35 x 0.38m



Safety Helmet - PP (Light Duty)

Code	Model	Colour	Packing	RM
CYSHY	173	Yellow	60/ctn	7.40
CYSHW	173	White	60/ctn	7.40

* Brand : Cyber



Bump Cap - PE

Code	Colour	Packing	RM
PCBCPY	Yellow	50/ctn	19.00
PCBCPW	White	50/ctn	19.00
PCBCPB	Blue	50/ctn	19.00





Helmet Harness Belt

Code	Brand	Packing	RM
PCHHB	Picasaf	90	8.00



- * Lightweight replacement slide lock plastic harness, easy to replace.
- * Suitable for all picasaf helmet (Model 9910, 9912...)



Helmet Harness Ratchet

Code	Brand	Packing	RM
PCHHR	Picasaf	160	20.00



- * Replacement Ratchet Fusion Headgear, easy to replace.
- * suitable for all picasaf helmet (Model 9910, 9912...)



Visor Bracket - ABS

Code	Model	Packing	RM
PCVBA2	A2	100/ctn	12.00



- * Economical choice for excellent face protection
- * Material : ABS



0.28 x 0.44 x 0.55m, 12kg



Visor Bracket - Aluminium

Code	Model	Packing	RM
PCVBA4	A4	100/ctn	26.00



- * Heavy Duty choice for excellent face protection
- * Material : Aluminium



Helmet Chain Strap Elastic

Code	Size	Packing	RM
PCHCSE	18mm	20/ctn	1.80



- * Fits all Picasaf & BK helmet
- * Adjustable & keep the helmet in active situation



Spherical Visor

Code	Model	Description	Packing	RM
PCVFC48C	FC48	Clear, 15"x8"	150/ctn	13.00
PCVFC48G	FC48	Green, 15"x8"	150/ctn	17.00



- * Suitable for most application electrical hazard environment
- * Shaded with anti glare, brazing & light cutting operation purpose
- * Heat, Impact Resistant, Polycarbonate
- * Material : Polycarbonate
- * Brand : Picasaf



0.23x 0.34 x 0.65m, 20.5kg



Crown Head Gear

Code	Model	Packing	RM
PCCHBG1	BG1	20	24.00



- * Durable choice for excellent face protection
- * Lightweight & comfortable with adjustable for height adjustment
- * Heat / Impact Resistant 2mm Thick
- * without helmet



Visor Bracket Cap Slot

Code	Model	Packing	RM
PCVBCS5	CS5	50/ctn	22.00



- * suitable for all helmet



Spherical Visor

Code	Model	Colour	Packing	RM
PCSV1BTC	1BT	Clear	50/ctn	28.00



- * Suitable for most application electrical hazard environment
- * Shaded with anti glare, brazing & light cutting operation purpose
- * Heat, Impact Resistant, Polycarbonate
- * Material : Polycarbonate
- * Brand : Laser



Spherical Visor

Code	Model	Colour	Packing	RM
PCSV1BTG	1BT	Green	50/ctn	32.00



- * Suitable for most application electrical hazard environment
- * Shaded with anti glare, brazing & light cutting operation purpose
- * Heat, Impact Resistant, Polycarbonate
- * Material : Polycarbonate
- * Brand : Laser



Ratchet Headgear

Code	Packing
3MML100R	10/ctn



Bullet Visor

Code	Colour	Packing
3MML200B	Clear	50/ctn



- * Safety system comes with headgear and faceshield together
- * Molded faceshield provides impact protection|| Molded polycarbonate faceshield provides impact protection
- * Five position crown strap and thirteen position ratchet suspension offer customization to individual wearers
- * Meet the requirements of ANSI Z87+|| Meets the requirements of ANSI Z87.1-2010





Auto Welding Helmet Solar/Battery


Code	Model	Packing	RM
PCWH9056	9056	6/ctn	175.00



- * Suitable for all types of electro - welding's covered electrodes, plasma welding cutting and laser welding except gas welding.
- * Fully adjustable delay and sensitivity controls
- * Grinding and welding modes / Fire Retardant Body
- * Battery powered with solar assist for extended battery life
- * Reaction: 1/20,000s * View Area: 2" x4"
- * WARRANTY: 6 Months



0.72 x 0.48 x 0.35m



Replacement Part of Welding Helmet

Code	Description	Packing	RM
PCFPL	PC Protective Lens - Front 110x90mm	5/100	5.00
PCRPL	PC Protective Lens - Rear 98x48mm	5/100	3.80
PCAH	Electronic Circuit Board	1/5	120.00



Semi Welding Helmet

Code	Model	Description	Packing	RM
PCWH9057	9057		10/40	21.00
PCVBA2	A2	Visor Bracket-ABS	100	11.00



- * Without helmet & bracket
- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter.

9057 : 0.43 x 0.38 x 0.43m



Cap Slot Bracket + Welding Headshield Body

Code	Description	RM
PCVBCS5+WHBD	Cap Slot Bracket + Welding Headshield	40.00



- * Without helmet & bracket
- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter.

Replacement Part

Code	Description	Brand	Packing	RM
PCWHH	Harness	Picasaf	50	12.00
PCWHLC	Len's clip	Picasaf	50	0.60





Welding Headshield - Red Fibre

Code	Model	Packing	RM
PCWH9052	9052	100/ctn	9.40



- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter
- * Fixed front
- * With 2"x4" welding glass



0.65 x 0.29 x 0.46m



Welding Headshield

Code	Model	Description	Packing	RM
PCWH9053	9053	Black PP	50/Bg	8.00



- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter
- * Flip-front, Adjustable ratchet
- * Fire Retardant
- * Fixed Front



Welding Headshield

Code	Model	Packing	RM
PCWH9055	9055	40/ctn	20.00



- * Without helmet & bracket
- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter.
- * Flip-front, * Adjustable ratchet



0.69 x 0.55 x 0.51m



Black Glass (Welding)

Code	Size	Packing	RM
PCWBG10	108x50x3mm 10#	100/500	0.90
PCWBG11	108x50x3mm 11#	100/500	0.90
PCWBG12	108x50x3mm 12#	100/1000	0.90



0.38 x 0.31 x 0.13m



Clear Glass (Welding)

Code	Size	Packing	RM
PCWCG2X4	108x50x2mm	150/600	0.38



0.38 x 0.25 x 0.13m



Visitor (Ultra Vision)

Code	Model	Colour	Packing	RM
PCSSET30C	ET30	Clear	12/300	9.00
PCSSET30S	ET30	Smoke	12/300	9.00



- * Non-removable lens
- * Impact resistant, wear easily over glass
- * Lens Material : Polycarbonate
- * Frame Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle

Code	Model	Colour	Packing	RM
PCSSET46C	ET46	Clear	12/300	10.00
PCSSET46S	ET46	Smoke	12/300	10.00



- * Adjustable sidearms
- * Excellence impact resistant
- * Multi colour frame
- * Frame Colour : Yellow & Blue
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle - Silver Mirror

Code	Model	Colour	Packing	RM
PCSSET81CSM	ET81	Clear	12/300	20.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle

Code	Model	Colour	Packing	RM
PCSSET81S	ET81	Smoke	12/300	20.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Wraparound design lens provide a tight fit preventing particle instruction.



Scratch resistant polycarbonate lens.



Soft nose bridge for comfort.



High fashion temple arm with soft rubber sleeves for grip & comfort.



Light weight safety eyewear.



99.9% UV proof.



ANSI CE



Anti-fog Spectacle

Code	Model	Colour	Packing	RM
PCSSET81CAF	ET81	Clear	12/300	21.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle

Code	Model	Colour	Packing	RM
PCSSET90C	ET90	Clear	12/300	12.00
PCSSET90S	ET90	Smoke	12/300	12.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle - 11# Welding

Code	Model	Colour	Packing	RM
PCSSET90D11	ET90	Dark	12/300	15.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle - Starlite

Code	Model	Colour	Packing	RM
PCSSET97C	ET97	Clear	12/300	10.50
PCSSET97S	ET97	Smoke	12/300	10.50



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Wraparound design lens provide a tight fit preventing particle instruction.



Scratch resistant polycarbonate lens.



Soft nose bridge for comfort.



High fashion temple arm with soft rubber sleeves for grip & comfort.



Light weight safety eyewear.



99.9% UV proof.



ANSI CE



Spectacle Silver Mirror

Code	Model	Colour	Packing	RM
PCSSET97CSM	ET97	Clear	12/300	12.50



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle

Code	Model	Colour	Packing	RM
PCSSET98C	ET98	Clear	12/300	14.50
PCSSET98S	ET98	Smoke	12/300	14.50



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle - 5# Welding

Code	Model	Colour	Packing	RM
PCSSET98G	ET98	Green	12/300	16.50



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Wraparound design lens provide a tight fit preventing particle instruction.



Scratch resistant polycarbonate lens.



Soft nose bridge for comfort.



High fashion temple arm with soft rubber sleeves for grip & comfort.



Light weight safety eyewear.



99.9% UV proof.



ANSI CE



Spectacle

Code	Model	Colour	Packing	RM
PCSSJ42C	J42	Clear	12/300	24.00
PCSSJ42S	J42	Smoke	12/300	24.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle

Code	Model	Colour	Packing	RM
PCSSJ55C	J55	Clear	12/300	13.80
PCSSJ55S	J55	Smoke	12/300	13.80



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle - Black Frame

Code	Model	Colour	Packing	RM
PCSSS278C	S278	Clear	12/300	22.00
PCSSS278S	S278	Smoke	12/300	22.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle - Silver Mirror

Code	Model	Colour	Packing	RM
PCSSS278CSM	S278	Clear	12/300	26.00
PCSSS278SSM	S278	Smoke	12/300	26.00



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Wraparound design lens provide a tight fit preventing particle instruction.



Scratch resistant polycarbonate lens.



Soft nose bridge for comfort.



High fashion temple arm with soft rubber sleeves for grip & comfort.



Light weight safety eyewear.



99.9% UV proof.



ANSI CE



Spectacle

Code	Model	Colour	Packing	RM
PCSSST211C	ST211	Clear	12/300	5.00
PCSSST211S	ST211	Smoke	12/300	5.00



- * Impact Resistant
- * Lens Material : Polycarbonate
- * Frame Material : Polycarbonate
- * Comply to ANSI & CE



0.80 x 0.26 x 0.50m



Spectacle

Code	Model	Colour	Packing	RM
PCSSST46C	ST46	Clear	12/300	5.00
PCSSST46S	ST46	Smoke	12/300	5.00



- * Multi colour frame
- * Frame Colour : Yellow & Blue
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle Cord

Code	Colour	Size	Packing	RM
PCSSC60	Black	60cm	12/300	1.00



- * Simply attached this cord to them and hang them around your neck.
- * String can be adjustable
- * 10,000pcs per carton



Spectacle Non-Woven Bag

Code	Colour	Packing	RM
SSB180	Black		

SOBAR

Wraparound design lens provide a tight fit preventing particle intrusion.



Soft nose bridge for comfort.



Light weight safety eyewear.



Scratch resistant polycarbonate lens.



High fashion temple arm with soft rubber sleeves for grip & comfort.



99.9% UV proof.



ANSI CE



Safety Impact Goggle

Code	Model	Colour	Packing	RM
PCSG9331C	9331	Clear	12/300	3.60



- * Direct Ventilation, Lens 1mm, Wide Vision, 1pc mould PVC Frame
- Comfortable nose-piece, adjustable head band.
- For grinding, wood working, buffing, chiseling etc.



Safety Anti-fog Chemical Goggle

Code	Model	Colour	Packing	RM
PCSG9333C	9333	Clear	12/144	13.60



- * Anti-fog Chemical goggle provide excellent splash protection
- * The safety goggle constructed of soft, comfortable PVC frame with polycarbonate lens and a wide adjustable headband



0.47 x 0.66 x 0.43m



Flip Goggle

Code	Model	Colour	Packing	RM
PCFG9335G	9335	#5 Green	100	7.20



- * Lift front lens holder, used for gas welding & chipping



Anti-fog Full Vision Goggle

Code	Model	Colour	Packing	RM
PCSG9339C	9339	Clear	40/120	32.00



- * Ultra lightweight wide vision goggle with exceptional wearer comfort.
- * Dual inject soft frame with pressure free fit tight seal design.
- * Comfortable nose-piece, adjustable head band.





Safety Spectacle

Code	Model	Colour	Packing
3MSSSF301AF	SF301AF	Clear	20pairs



Safety Spectacle

Code	Model	Colour	Packing
3MSSSF302AF	SF302AF	Grey	20pairs

3M

- * Lens with anti-fog and anti-scratch coating
- * Lenses are angled to help accommodate high cheekbone structure
- * Soft nose pads, designed to fit securely on a low nose bridge
- * Polycarbonate lenses absorb 99.9% of UVA and UVB rays and meets the requirements of ANSI Z87.1-2015 Standard as an impact rated spectacle
- * Proprietary 3M pressure diffusion temple (PDT) technology minimizes pressure over the ear without compromising security
- * Weight less than 1 ounce



Virtua™ Sport Asian Fit Eyewear

Code	Model	Colour	Packing
3MS10434	10434	Clear	20pairs

3M

- * Blue temples, clear anti-fog lens
- * Economical eyewear with wrap-around design
- * Lightweight, comfortable, ultralight frame
- * High impact polycarbonate filters 99.9% UV
- * Meets ANSI Z87.1-2003 and CSA Z94.1 standard



Safety Goggles for Splash

Code	Model	Colour	Packing
3MG1621	1621AF	Clear	144pairs

3M

- * Polycarbonate lenses to protect against chemical splashes
- * The pliable vinyl frames provide a comfortable
- * Vents enhance air circulation to prevent fogging



Safety Goggles for Splash

Code	Model	Colour	Packing
3MG1623	1623AF	Clear	144pairs

3M

- * Features a wrap-around design for greater peripheral vision
- * Anti-fog coating to minimize fogging
- * Hard-coated polycarbonate lens offering scratch resistance and 99% reduction of ultraviolet radiation (UVA and UVB) from natural sunlight





Ear Plug with Cord & Case

Code	Model	Description	Packing	RM
PCEP9013	9013	NRR24	12/1000	1.80

- * Excellent protection, convenience and ease of use with reusability
- * Soft for lower pressure in ear and improved comfort.
- * Reusable earplug are generally affordable, sterilized and easily cleaned with mild soap and water for months of usage.
- * Each pair comes with a cord and a storage case or polybag.



Ear Plug with Cord & Case

Code	Model	Description	Packing	RM
PCEP9017	9017	NRR24	50/100	1.80

- * Excellent protection, convenience and ease of use with reusability
- * Soft for lower pressure in ear and improved comfort.
- * Reusable earplug are generally affordable, sterilized and easily cleaned with mild soap and water for months of usage.
- * Each pair comes with a cord and a storage case or polybag.



Foam Ear Plug with Cord

Code	Model	Description	Packing	RM
PCEP9015	9015	NRR29	100/1000	1.80

- * Plugs are made of soft foam that expands to fit virtually all ear canal
- * Earplugs are easy to roll down for quick and easy fitting
- * Comfortable to wear for extended periods of times
- * Each pair is individually packed into a plastic bag



Foam Ear Plug with Cord (USA)

Code	Model	Description	Packing
MDEP6650	6650 Softies™	NRR31	10/2000



- * 100% PVC-Free®.
- * Radiant orange colour for easy compliance checks.
- * Extra-soft, low-pressure foam for comfort and fit.
- * Tapered shape for easy insertion and removal.
- * Shaped to fit even very small ear canals.
- * Non-irritating smooth surface.



ANSI



Foam Ear Plug with Cord (USA)

Code	Model	Description	Packing
MDEP6654	6654 Spark Plugs™	NRR31	10/2000



- * 100% PVC-Free®.
- * Extra-soft, low-pressure foam for comfort and fit.
- * Tapered shape for easy insertion and removal.
- * Shaped to fit even very small ear canals.
- * Non-irritating smooth surface.
- * In the Metal Detectable version the plug and cord are independently detectable for added safety



ANSI



Foam Ear Plug (USA)

Code	Model	Description	Packing
MDEP6900	6900 Pura-Fit™	NRR33	200/2000



- * 100% PVC-Free®.
- * Tapered for easier insertion.
- * Improved, softer foam for maximum comfort.
- * Non-irritating, smooth surface.
- * Longer length for easy fitting and removal.
- * Hygienically packaged in biodegradable paper pouches.
- * Look for the bright green colour as a symbol of Moldex quality.



ANSI



Foam Ear Plug (USA)

Code	Model	Description	Packing
MDEP6600	6600 Softies™	NRR31	200/2000



- * 100% PVC-Free®.
- * Radiant orange colour for easy compliance checks.
- * Extra-soft, low-pressure foam for comfort and fit.
- * Tapered shape for easy insertion and removal.
- * Shaped to fit even very small ear canals.
- * Non-irritating smooth surface.



ANSI



Ear Plug with Cord & Case (USA)

Code	Model	Description	Packing
MDEP6405	6405 Rockets™	NRR26	50



- * 100% PVC-Free®.
- * Easy grip handle lets earplugs easily slip into ear.
- * Air bubble in tip provides cushioned comfort.
- * Earplugs can be washed and reused.
- * Available in corded, uncorded, and corded metal detectable models.
- * Look for the bright green color as a symbol of Moldex quality.
- * In the Metal Detectable version the plug and cord are independently detectable for added safety.



ANSI



Uncorded Foam Ear Plug

Code	Model	Packing
3MEP1100	1100	200/1000

3M

- * Tapered design fits comfortably in earcanals
- * Noise Reduction Rating (NRR) 29 dB, CSA Class AL



Corded Foam Ear Plug

Code	Model	Description	Packing
3MEP1110	1110	Clear	100/500

3M

- * Tapered design fits comfortably in earcanals
- * Noise Reduction Rating (NRR) 29 dB, CSA Class AL



PVC Corded

Code	Model	Description	Packing
3MEP1270	1270	MOQ 1case	100/500

3M

- * Washable, reusable
- * Tapered design fits comfortably in earcanals
- * Provide reliable protection
- * NRR 24 dB



PVC Corded with Carrying Case

Code	Model	Packing
3MEP1271	1271	50/250

3M

- * Washable, reusable
- * Tapered design fits comfortably in earcanals
- * Provide reliable protection
- * NRR 24 dB



Ear Muffle

Code	Model	Description	Packing	RM
PCEM9001	9001	NRR21	40	11.00



- * This ear muffle offer quality noise reduction at an affordable price.
- * Lightweight, adjustable contoured for user comfort
- * Economic model



Ear Muffle

Code	Model	Description	Packing	RM
PCEM9007	9007	NRR26	40	30.00



- * This ear muffle offer with soft foam-filled cushions provides a good seal for protection against harmful noise & sound
- * Lightweight, adjustable contoured for user comfort
- * EN352-1



Ear Defender

Code	Model	Description	Packing	RM
PCED9005	9005	NRR26	40	39.00



- * Helmet slotted ear muffs fit to all Picasaf, BK safety helmet
- * Good performance earmuff with good noise reduction rating.
- * Extra wide ear cushions for best comfort
- * Provides high and low frequency attenuation
- * EN352-3




Ear Muffle

Code	Model	Packing
3MEMH9A	H9A	10



- * Recommended for noise levels up to 98dBA
- * CSA Class A



Silent.



EN149:2001

**RESPIRATOR MASK – N95**

Code	Model	Description	Packing	RM
PCRM8600	8600	20pcs/box	20box/ctn	



- * NIOSH N95 / FFP2, protection from solid liquid aerosol variants
- * Polyethylene outer layer offer smooth lining & avoid loose fibres

0.67 x 0.3 x 0.4m



JKKP Approval Code : JKKP DR 148/05

Respirator Mask - N95

Code	Model	Description	Packing	RM
PCRM8610	8610	20pcs/box	20box/ctn	



- * NIOSH N95 / FFP2, protection from solid liquid aerosol variants
- * Polyethylene outer layer offer smooth lining & avoid loose fibres

0.665 x 0.295 x 0.395m



EN149:2001

JKKP Approval Code : JKKP DR 149/05

Respirator Mask c/w Valve - N95

Code	Model	Description	Packing	RM
PCRM8612	8612	12pcs/box	20box/ctn	



- * NIOSH N95 / FFP2, protection from solid liquid aerosol variants
- * Exhalation valve reduce hot air built up & easier breathing
- * Polyethylene outer layer offer smooth lining & avoid loose fibres
- * Double shell construction for durability

0.7 x 0.3 x 0.4m





EN149:2001

Respirator Mask - N95 (Active Carbon)

Code	Model	Description	Packing	RM
PCRM8220	8220	50pcs/box	20box/ctn	



- * NIOSH N95 / FFP2, protection from solid liquid aerosol variants
- * Exhalation valve reduce hot air built up & easier breathing
- * Polyethylen outer layer offer smooth lining & avoid loose fibres
- * Double shell construction for durability



0.665 x 0.27 x 0.395m



EN149:2001

Respirator Mask c/w Valve - N95 (Active Carbon)

Code	Model	Description	Packing	RM
PCRM8226	8226	12pcs/box	20box/ctn	



- * NIOSH N95 / FFP2, protection from solid liquid aerosol variants
- * Exhalation valve reduce hot air built up & easier breathing
- * Polyethylen outer layer offer smooth lining & avoid loose fibres
- * Double shell construction for durability



0.665 x 0.27 x 0.395m



Paper Mouth Mask

Code	Model	Description	Packing	RM
PCML8101	8101 Laser	Thick	20	



- * 50Pcs/Box
- * Elastic ear-loops
- * No synthetic resin
- * No formalin
- * Water resistance



0.62 x 0.26 x 0.32m



EN149:2001

RESPIRATOR MASK – N95

Code	Model	Description	Packing	RM
PCRM9610	9610	20pcs/box	20box/ctn	



- * NIOSH N95 / FFP2, protection from solid liquid aerosol variants
- * Polyethylene outer layer offer smooth lining & avoid loose fibres
- * Double shell construction for durability
- * Adjustable strap
- * Cushioning nose form



0.665 x 0.27 x 0.395m

Mask



EN149:2001

Respirator Mask c/w Valve - N95

Code	Model	Description	Packing	RM
PCRM9620	9620	12pcs/box	20	



- * NIOSH N95 / FFP2, protection from solid liquid aerosol variants
- * Exhalation valve reduce hot air built up & easier breathing
- * Polyethylene outer layer offer smooth lining & avoid loose fibres
- * Double shell construction for durability
- * Adjustable strap
- * Cushioning nose form



0.665 x 0.27 x 0.395m

Contour shape
(Easy Wearing)Comfort Nosepiece
Prevent hot air leak upward

Disposable Children 3-Ply Mask

Code	Model	Description	Packing	RM
		Thick	50	

- * Suitable for medical & general-purpose usage
- * Form-fit design which helps to breathe easily
- * 3-ply surgical mask with elastic ear-loops
- * Lightweight, 3 layer construction and comfortable to wear.



0.52 x 0.38 x 0.3m



Particular Respirator Mask with Valve

Code	Model	Description	Packing
3MR8210V	8210V	10pcs/box	8



- * Features welded strap attachment for higher durability.
- * Soft nose foam & adjustable noseclip to provide custom fit and secure seal.
- * An economical choice for hot/humid work settings & longer periods of wear.
- * 3M™ Cool Flow™ Valve: Effective removal of heat build up provides a cooler and more comfortable wear.



Particular Respirator Mask with Valve

Code	Model	Description	Packing
3MR8511	8511	10pcs/box	8



- * NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- * 3M Cool Flow Exhalation Valve reduces heat build-up inside the respirator
- * Adjustable M-noseclip reduces potential for eyewear fogging
- * Braided headbands two-strap design with dual point attachment helps provide a secure seal



Particular Respirator Mask (R95+OV relief)

Code	Model	Description	Packing
3MR8247	8247	20pcs/box	6



- * NIOSH Approved R95
- * Type 'G' class rating is suitable for low vapour pressure (below 1.3 Pa @ 25oC) of many agricultural chemicals, e.g. pesticide and herbicide
- * Activated carbon layer helps reduce nuisance levels of organic vapors
- * Robust shell and cup design that is resistant to collapse for durability



Particular Respirator Mask

Code	Model	Description	Packing
3MR9010	9010	50pcs/box	10



- * NIOSH Approved R95
- * Adjustable noseclip helps reduce potential for eyewear fogging and ensure a better seal and fit
- * Economical disposable respirator



Particular Respirator Mask with Valve

Code	Model	Description	Packing
3MR9010V	9010V	50pcs/box	10



- * Each respirator is individually packaged to offer convenient storage and portability.
- * Two strap design with a comfortable nose clip and advanced electret media help make breathing easier and cooler.
- * Adjustable noseclip helps reduce potential for eyewear fogging and ensure a better seal and fit.
- * 3M™ Cool Flow™ Exhalation Valve reduces heat build-up inside the respirator.



Particular Respirator Mask

Code	Model	Description	Packing
3MR9105	9105	50pcs/box	8



- * 3M proprietary filter media and V-shaped pleats helps make breathing easier.
- * Uniquely designed tabs for respirator positioning on the face.
- * Pleats flex with mouth movement while talking.
- * Economical N95 disposable particulate respirator.




Disposable Surgical Mask

Code	Description	Colour	Packing	RM
PCSM3PEG	3 Ply, Elastic Loop	Green	40	
PCSM3PEB	3 Ply, Elastic Loop	Blue	40	

- * Suitable for medical & general-purpose usage
- * Form-fit design which helps to breathe easily
- * 3-ply surgical mask with elastic ear-loops
- * Lightweight, 3 layer construction and comfortable to wear.

 0.52 x 0.38 x 0.3m



Disposable Surgical Mask

Code	Description	Colour	Packing	RM
PCSM3PTG	3 Ply, Tie-On	Green	40	

- * Suitable for medical & general-purpose usage
- * Form-fit design which helps to breathe easily
- * 3-ply surgical mask with tie-on
- * Lightweight, 3 layer construction and comfortable to wear.

 0.52 x 0.38 x 0.38m



Disposable Nurse Mask

Code	Description	Colour	Packing	RM
PCNM2P	2 Ply, Elastic Loop	White	100	

- * Suitable for medical & general-purpose usage
- * Form-fit design which helps to breathe easily
- * 3-ply surgical mask with elastic ear-loops
- * Lightweight, 3 layer construction and comfortable to wear.

 0.47 x 0.41 x 0.47m



Disposable Sponge Mask

Code	Description	Colour	Packing	RM
PCMMCS	Cotton	White	100	

- * 50Pcs/Box



Mask-Single Respirator + Catridge

Code	Model	Packing	RM
PCRNP305	NP305	50	10.00



- * Good quality for heavyduty usage
- * Lightweight and soft to the face
- * Exhalation valve for extra comfort
- * Comfortable head cradle with adjustable suspension
- * Available with single and twin filter cartridges

 0.60 x 0.27 x 0.34m



Mask-Double Respirator + Catridge

Code	Model	Packing	RM
PCRNP306	NP306	50	12.50



- * Good quality for heavy duty usage
- * Lightweight and soft to the face
- * Exhalation valve for extra comfort
- * Comfortable head cradle with adjustable suspension
- * Available with single and twin filter cartridges

 0.68 x 0.32 x 0.44m



PVC Dust Mask

Code	Model	Description	Packing	RM
PCCRC201	RC201	Dust	3/360	2.50
PCCRC203	RC203	Paint Spray	3/360	3.00





Respirator Kit

Code	Model	Packing
3MR320055	3200-55	12



- * Low profile design allows a wide field of vision
- * Lightweight makes long period of wear bearable
- * Soft, elastomeric face-fit secures a lasting comfort
- * Unique easy to don/doff strap system



Small / Medium Half Face Respirator

Code	Model	Packing
3MR3200	3200	20



Organic Vapor Cartridge

Code	Model	Packing
3MR3311k55	3311k-55	6/60



Filter Holder

Code	Model	Packing
3MR3700	3700	10



Filter Holder

Code	Model	Packing
3MR3744	3744	100



Half Mask

Code	Model	Size	Packing
3MR6100	6100	Small	24
3MR6200	6200	Medium	24
3MR6300	6300	Large	24



- * This series combines comfort and convenience
- * Comfortable soft, lightweight facepiece with easy-to-adjust head straps
- * NIOSH approved for negative pressure air purifying and supplied air dual airline applications
- * Can be disassembled, cleaned and reused



Half Mask

Code	Model	Packing
3MR6502	6502QL	10

3M

- * Resilient silicone faceseal provides comfort, durability, and stability with a soft but firm seal
- * Quick Latch mechanism makes it easy to drop down the respirator from face without removing head straps
- * Proprietary 3M Cool Flow valve helps reduce heat and moisture to make breathing easier
- * Low profile half facepiece design offers a wide field of view and compatibility with welding and grinding shields



Half Mask

Code	Model	Packing
3MR7502	7502	10

3M

- * Advance silicone material for increased comfort and greater durability.
- * Proprietary 3M™ CoolFlow™ valve helps makes breathing easier.
- * Dual-mode head harness adjusts easily for either standard or drop-down mode.
- * Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging.



Full Mask

Code	Model	Size	Packing
3MR6700	6700	Small	4
3MR6800	6800	Medium	4
3MR6900	6900	Large	4

3M

- * Large lens provides a wide field of view for excellent visibility
- * Lightweight well-balanced design and silicone faceseal for enhanced comfort, durability and ease of cleaning
- * Available in air-purifying and supplied air respirator modes
- * Centre adapter directs exhaled breath downward



Organic Vapor Cartridge

Code	Model	Description	Packing
3MR6001	6001	2pcs/pack	30 pairs

3M

- * NIOSH approved for protection against certain organic vapors or acid gases
- * Swept-back design allows an enhanced field of view and comfort
- * Bayonet compatibility allows use with many 3M half and full facepiece designs
- * Wide range of applications reduces inventory needs



Organic Vapor / Acid Gas Cartridge

Code	Model	Description	Packing
3MR6003	6003	2pcs/pack	30 pairs

3M

- * NIOSH approved for protection against certain organic vapors or acid gases
- * Swept-back design allows an enhanced field of view and comfort
- * Bayonet compatibility allows use with many 3M half and full facepiece designs
- * Wide range of applications reduces inventory needs



Multi Acid Gas / Organic Vapor Cartridge

Code	Model	Description	Packing
3MR6006	6006	2pcs/pack	30 pairs



- * NIOSH approved for protection against certain organic vapors or acid gases
- * Swept-back design allows an enhanced field of view and comfort
- * Bayonet compatibility allows use with many 3M half and full facepiece designs
- * Wide range of applications reduces inventory needs



Particulate Filter

Code	Model	Packing
3MR2091	2091 (P100)	50pairs



- * Exceptional 99.97% filter efficiency meets NIOSH P100-series test criteria.
- * Advanced Electret Media (AEM) provides lightweight, easy breathing comfort.
- * Versatile protection against many oil and non-oil based particulate contaminants.
- * Bayonet compatibility allows use with many 3M™ half and full facepiece designs.



Particulate Filter

Code	Model	Packing
3MR2097	2097 (P100+OV)	50pairs



- * Exceptional 99.97% filter efficiency meets NIOSH P100-series test criteria.
- * Versatile protection against many oil and non-oil based particulate contaminants.
- * Nuisance odor relief for organic vapor levels below the Permissible Exposure Level (PEL).
- * Advanced Electret Media (AEM) provides lightweight, easy breathing comfort.



Filter Retainer

Code	Model	Description	Packing
3MR501	501	20pcs/box	5box/ctn



- * Approved 3M system component
- * Designed to hold 3M Particulate Filter 5N11 and 5P71/07194 (AAD)
- * Component works with 3M Respirator 5000 Series, 3M Cartridges 6000 Series and 3M™ Filter Adapter 603
- * Color: Translucent white



Particulate Filter - N95

Code	Model	Description	Packing
3MR5N11	5N11	10pcs/box	10/100



- * NIOSH approved for environments containing certain non-oil-based particles
- * Use on top of 3M gas and vapor cartridges with 3M™ 501 Retainer when particles are also present
- * Use on top of 3M™ 603 Filter Holder and 3M™ 501 Retainer to reduce particulate exposure
- * Replaceable particle filter for cost savings



Fire-Retardant Coverall (FRC) - Reflective resistant garments protect the wearer from heat & flash, providing protection or escape and minimizing the potential burn injury.

- * 100% cotton drill,
- * Zipper & snap buttons
- * 2 chest pockets, flap covers with snap button
- * 1 handphone & 1 pen pocket,
- * 2 side pockets, 1 sleeve pocket,
- * 2 rank straps

**Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)

SIRIM Report No: 2015CE0830
Ref Std: 1. BS EN 531:1995 2. BS EN 532:1995
Complied Flame to Edge,
Flaming Debrics Duration of Afterglow,
Duration of Afterfame



0.56 x 0.38 x 0.35m, GW: 26kg



Fire Retardant



Zip

Fire-Retardant Coverall (FRC) - Reflective

Code	Colour	Size	Packing	RM
PCFRC9351SDG	Dark Green	S	24	240.00
PCFRC9351MDG	Dark Green	M	24	240.00
PCFRC9351LDG	Dark Green	L	24	240.00
PCFRC9351XLDG	Dark Green	XL	24	240.00
PCFRC93512XLDG	Dark Green	2XL	24	240.00
PCFRC93513XLDG	Dark Green	3XL	24	240.00
PCFRC93514XLDG	Dark Green	4XL	24	240.00



Cotton Jacket - 9501

Code	Colour	Size	Packing	RM
PCCJ9501MNB	N Blue	M	48	65.00
PCCJ9501LNB	N Blue	L	48	65.00
PCCJ9501XLNB	N Blue	XL	48	65.00
PCCJ95012XLNB	N Blue	XXL	48	65.00



- * 100% cotton drill
- * 2 chest pockets, flap covers with snap button
- * Brand : Winsir

* Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)



0.56 x 0.38 x 0.35m, GW: 17kg



Zip



100% cotton

- * Make of 100% cotton for coolness and comfort
- * Double zip front, convertible long/short sleeve.
- * Heavy duty use
- * 2 chest pockets, flap covers with snap button
- * 1 handphone & 1 pen pocket,
- * 2 side pockets, 1 sleeve pocket, 2 rank strap,
- * Elasticized stretchable back waist
- * Care: Home and industrial wash
- * Brand : Picasaf

**Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)



<L 0.56 x 0.38 x 0.30m
>XL 0.56 x 0.38 x 0.32m



Zip

9521 Cotton Overall (Boiler Suit) - THICK

Code	Colour	Size	Packing	RM
PCO9521SNB	N Blue	S	24	96.00
PCO9521MNB	N Blue	M	24	96.00
PCO9521LNB	N Blue	L	24	96.00
PCO9521XLNB	N Blue	XL	24	96.00
PCO95212XLNB	N Blue	2XL	24	96.00
PCO95213XLNB	N Blue	3XL	24	96.00

Limited Colour

PCO9521MLB	L Blue	M	24	88.00
PCO9521LLB	L Blue	L	24	88.00
PCO95212XLLB	L Blue	2XL	24	88.00
PCO95213XLLB	L Blue	3XL	24	88.00
PCO9521LO	Orange	L	24	88.00
PCO9521XLO	Orange	XL	24	88.00
PCO95212XLO	Orange	2XL	24	88.00
PCO95212XLR	Red	2XL	24	88.00
PCO95213XLR	Red	3XL	24	88.00



* Material : Poly Cotton

**Size :S(38), M(40), L(42),
XL(44), 2XL(46), 3XL(48)



<L 0.56 x 0.38 x 0.30m
>XL 0.56 x 0.38 x 0.32m

TC Coverall (Reflective) - 3022

Code	Colour	Size	Packing	RM
PCTC3022SNB	N Blue	S	24	88.00
PCTC3022MNB	N Blue	M	24	88.00
PCTC3022LNB	N Blue	L	24	88.00
PCTC3022XLNB	N Blue	XL	24	88.00
PCTC30222XLNB	N Blue	2XL	24	88.00
PCTC30223XLNB	N Blue	3XL	24	88.00
PCTC3022SLB	L Blue	S	24	88.00
PCTC3022MLB	L Blue	M	24	88.00
PCTC3022LLB	L Blue	L	24	88.00
PCTC3022XLLB	L Blue	XL	24	88.00
PCTC30222XLLB	L Blue	2XL	24	88.00
PCTC3022MR	Red	M	24	88.00
PCTC3022LR	Red	L	24	88.00
PCTC3022XLR	Red	XL	24	88.00
PCTC30222XLR	Red	2XL	24	88.00
PCTC30223XLR	Red	3XL	24	88.00
PCTC3022SO	Orange	S	24	88.00
PCTC3022MO	Orange	M	24	88.00
PCTC3022LO	Orange	L	24	88.00
PCTC3022XLO	Orange	XL	24	88.00
PCTC30222XLO	Orange	2XL	24	88.00
PCTC30223XLO	Orange	3XL	24	88.00



<L 0.56 x 0.38 x 0.30m
>XL 0.56 x 0.38 x 0.32m

TC Coverall (Plain) - 3021

Code	Colour	Size	Packing	RM
PCTC3021SNB	N Blue	S	24	83.00
PCTC3021MNB	N Blue	M	24	83.00
PCTC3021LNB	N Blue	L	24	83.00
PCTC3021XLNB	N Blue	XL	24	83.00
PCTC30212XLNB	N Blue	2XL	24	83.00
PCTC30213XLNB	N Blue	3XL	24	83.00
PCTC3021MR	Red	M	24	83.00
PCTC3021LR	Red	L	24	83.00
PCTC3021XLR	Red	XL	24	83.00
PCTC30212XLR	Red	2XL	24	83.00
PCTC30213XLR	Red	3XL	24	83.00
WEA-GNR-32095	Red	4XL	24	83.00
PCTC3021LO	Orange	L	24	83.00
PCTC3021XLO	Orange	XL	24	83.00
PCTC30212XLO	Orange	2XL	24	83.00
PCTC30213XLO	Orange	3XL	24	83.00
WS03021LBS	L Blue	S	24	83.00
WS03021LB3XL	L Blue	3XL	24	83.00

* Material : Poly Cotton

**Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)



H/Duty Raincoat (Lining)

Code	Model	Size	Packing	RM
PCRCF4/6M	F4/6	M	12	35.00
PCRCF4/6L	F4/6	L	12	35.00
PCRCF4/6XL	F4/6	XL	12	35.00
PCRCF4/62XL	F4/6	2XL	12	35.00
PCRCF4/63XL	F4/6	3XL	12	35.00



- * Brand : Picasaf
- * PVC / Polyester PVC
- * Thickness : 0.35mm, zip front & button attach hood & breathable hole back
- * 100% waterproof
- * Wear & tear resistant cycling
- * Construction, industry, mountaineering & etc.



Zip



Button



0.49 x 0.34 x 0.14m



H/Duty Rainsuit (Lining)

Code	Model	Size	Packing	RM
PCRCF4/7M	F4/7	M	12	45.60
PCRCF4/7L	F4/7	L	12	45.60
PCRCF4/7XL	F4/7	XL	12	45.60
PCRCF4/72XL	F4/7	2XL	12	45.60
PCRCF4/73XL	F4/7	3XL	12	45.60



- * Brand : Picasaf
- * PVC / Polyester PVC
- * Thickness : 0.35mm, zip front & button attach hood & breathable hole back
- * 100% waterproof
- * Wear & tear resistant cycling
- * Construction, industry, mountaineering & etc.



Zip



Button



Button & Zip

Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)

0.49 x 0.34 x 0.16m



H/Duty Rainsuit (Lining) - Reflective

Code	Model	Size	Packing	RM
PCRSF4/7RM	F4/7	M	12	72.00
PCRSF4/7RL	F4/7	L	12	72.00
PCRSF4/7RXL	F4/7	XL	12	72.00
PCRSF4/7R2XL	F4/7	2XL	12	72.00



- * Brand : Picasaf
- * PVC / Polyester PVC
- * Thickness : 0.35mm, zip front & button attach hood & breathable hole back
- * 100% waterproof
- * Wear & tear resistant cycling
- * Construction, industry, mountaineering & etc.
- * High glow PVC reflective on front & back



Zip



Button



Button & Zip

Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)

0.49 x 0.34 x 0.18m



Thin Vest Coat (Net / Mesh Fabric)

Code	Model	Color	Packing	RM
PCVCT7001	7001	Lemon Yellow	200	5.20
PCVCT7000	7000	Orange Red	200	5.20



- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty * Washable



0.44 x 0.48 x 0.34m



Velcro



Thin Vest Coat (PVC White Reflective)

Code	Model	Color	Packing	RM
PCVCP7131	P7131	White / Lemon	100	12.00
PCVCP7130	P7130	White / Orange	100	12.00



- * Reflective : 2 x 50mm
- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty * Washable



0.45 x 0.25 x 0.42m



Velcro



Thin Vest Coat (PVC White Reflective)

Code	Model	Color	Packing	RM
PCVCP7241Z	P7241Z	White / Lemon	100	15.00
PCVCP7240Z	P7240Z	White / Orange	100	15.00



- * Reflective : 4 x 50mm
- * Zipper fastener with black bidding to garment edges
- * Light weight
- * Heavy duty * Washable



0.45 x 0.25 x 0.50m



Zip



Thin Vest Coat (Silver Reflective)

Code	Model	Color	Packing	RM
PCVCT7300	T7300	Grey / Orange	100	11.00
PCVCT7301	T7301	Grey / Lemon	100	11.00



- * Reflective : 2 x 50mm
- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty * Washable



0.45 x 0.25 x 0.42m



Velcro



Thin Vest Coat (PVC White Reflective)

Code	Model	Description	Packing	RM
PCVCP7131S	P7131S	Security	100	18.00



- * Reflective : 2 x 50mm
- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable



Velcro



0.45 x 0.25 x 0.50m



Mesh Vest with LED

Code	Model	Colour	Packing	RM
PCVCP7260	P7260	Yellow / Orange	50	48.00



- * Reflective : 4 x 50mm
- * Use 2 x AA battery (not included)
- * Light weight
- * Heavy duty
- * Washable



0.45 x 0.25 x 0.42m



Mesh Vest (PVC Reflective)

Code	Model	Colour	Packing	RM
PCVCP7160	P7160	Yellow / Orange	100	14.00
PCVCP7161	P7161	White / Lemon	100	14.00



- * Reflective : 4 x 50mm
- * Density 60gsm
- * Light weight
- * Heavy duty
- * Washable



0.45 x 0.25 x 0.42m



Thick Mesh Vest (PVC Reflective)

Code	Model	Colour	Packing	RM
PCVCP7162	P7162	White / Black	100	18.00
PCVCP7163	P7163	Yellow / Black	100	18.00



- * Reflective : 4 x 50mm
- * Density 120gsm
- * Light weight
- * Heavy duty
- * Washable



0.45 x 0.25 x 0.42m




Clip on Elastic Vest

Code	Model	Colour	Packing	RM
PCVCE7361	E7361	Grey / Lemon	100	16.50
PCVCE7360	E7360	Grey / Orange	100	16.50



- * Strap belt
- * Light weight
- * Heavy duty
- * Washable

 0.44 x 0.27 x 0.39m



Front

Black

Skeleton PVC Vest Coat

Code	Model	Colour	Packing	RM
PCVCP7341	P7341	Lemon	100	13.00



- * Velcro fastener
- * Light weight
- * Heavy duty
- * Washable

 0.44 x 0.27 x 0.39m



Split Leather Apron

Code	Model	Size	Packing	RM
PCLA9362	9362	22"x33"	50	62.00



- * These apron are made of good quality leather, with neck loop and waist tie
- * Provide ample body protection and lightweight



0.45 x 0.35 x 0.45m



Jean Canvas Apron with Pocket

Code	Size	Description	Packing	RM
PCJAP2X3	2'x3'	Pocket	300	13.00



- * Great resistant to chemical fats, oils and grease
- * Suitable for all general application



0.168m³, GW : 53kg



H/Duty Vinly (Translucent) Apron

Code	Size	Description	Packing	RM
PCVAH2X4	2'x4'	0.25mm	5pc/pkt	20.00



- * Great resistant to chemical fats, oils and grease
- * Suitable for heavy duty application



H/Duty PVC Apron (Lining)

Code	Size	Colour	Packing	RM
PCPAL2X4B	2'x4'	Black	50	26.00



- * Great resistant to chemical fats, oils and grease
- * Suitable for heavy duty application




Thin PVC Apron

Code	Size	Thin	Packing	RM
PCPAT2X3	24"X36"	0.12mm	100	7.00



- * Great resistant to chemical fats, oils and grease
- * Suitable for all general application



Sleeves Split Arm Sleeves

Code	Model	Packing	RM
PCLAS9363	9363	50pr	55.00



* Open front, leather strip back



0.58 x 0.22 x 0.45m



Arm Sleeves

Code	Size	Packing	RM
PCASJC	L455mm x W173mm	500	9.00



0.168m³, GW : 53kg



Arm Sleeves Knitted

Code	Description	Packing	RM
PCASKN	Knitted	12/120	8.00



Cool Arm Sleeves

Code	Model	Colour	Packing
3MPS2000BK	PS 2000	Black	100pr
3MPS2000GR	PS 2000	Grey	100pr
3MPS2000WH	PS 2000	White	100pr
3MPS2000BL	PS 2000	Blue	100pr
3MPS2000PI	PS 2000	Pink	100pr
3MPS2000AQ	PS 2000	Aqua	100pr



- * UV protection (SPF50+)
- * High absorbency
- * Quick-drying feature
- * Wind resistance





Head Cover

Code	Description	Colour	Packing	RM
PCHCCB	Canvas	Blue	12/300	28.50



Head Cover Knitted

Code	Description	Packing	RM
PCHCKN	Knitted, Ninja	12/300	13.00



Welding Leather Jacket

Code	Model	Description	Packing	RM
PCLJ9361	9361	Eurotech	12	240.00



* Natural cow grain leather, able to breath.
Velcro front, CE EN 340, by Picasaf



0.45 x 0.35 x 0.45m



Split Leather Leg-Guard

Code	Model	Description	Packing	RM
PCLLG9364	9364	Velcro Fastern Strap	50pr	55.00





Life Jacket

Code	Model	Packing	RM
PCLJ9865	9865	20/ctn	52.00



- * Buoyancy > 7.5kg
- * Size : 53 x 46cm
- * Cubic centimeters : 0.135m³
- * Material : Outer – Oxford Canvas 2000
: Inner – Thick EPE

 0.70 x 0.8 x 0.5m



Life Jacket

Code	Model	Packing	RM
PCLJ9953	9953	20/ctn	90.00



- * Buoyancy > 8.5kg
- * Size : 55 x 45cm
- * Collar reflective : 3m
- * Cubic centimeters : .14m³
- * Material : Outer – Oxford Canvas 4000
: Inner – Multi layer EPE

 0.70 x 0.8 x 0.5m



Life Buoy

Code	Model	Packing	RM
PCLB9830	9830	10	130.00



- * Buoyancy > 14.5kg (for person weighting 225kg)
- * Support 18KG of Iron Block for 24hrs
- * Outer Shell : High Density Polystyrene
Inner Cove : High Density Polyurethane Foam.
- * OD : 710mm ID: 440mm T: 110mm
- * 10pcs/bag : 0.57cbm

 0.72 x 0.72 x 1.1m



Disposable Micro-porous with Coverall

Code	Model	Size	Packing
3M4510S	4510	S	20
3M4510M	4510	M	20
3M4510L	4510	L	20
3M4510XL	4510	XL	20
3M45102XL	4510	2XL	20
3M45103XL	4510	3XL	20



- * Helps provide basic protection against dusts and light liquid splashes
- * Elasticated waist, ankles, and wrists for convenience and freedom of movement
- * Two-way zipper with storm flap for convenience and additional protection
- * Low-linting properties and anti-static coating on both sides



Zip





Disposable Coverall PP

Code	Size	Packing	RM
PCDCPPM	M	50	14.00
PCDCPPL	L	50	14.00
PCDCPPXL	XL	50	14.00
PCDCPPXXL	XXL	50	14.00



- * Helps provide basic protection against dusts and light liquid splashes
- * Elasticated waist, ankles, and wrists for convenience and freedom of movement
- * Zip front, elasticated cuffs and ankles, elastic hood, polyethylene coating for wet condition
- * Colour : White



Zip



0.53 x 0.33 x 0.42m



Disposable Coverall Microporous

Code	Size	Packing	RM
PCDCMPL	L	50	24.00
PCDCMPXL	XL	50	24.00



- * Helps provide basic protection against dusts and light liquid splashes
- * Elasticated waist, ankles, and wrists for convenience and freedom of movement
- * Zip front, elasticated cuffs and ankles, elastic hood, polyethylene coating for wet condition
- * Colour : White



Zip



0.53 x 0.33 x 0.42m



Disposable Lab Coat - PP

Code	Size	Colour	Packing	RM
PCDLCPPPL	L	White	50	10.00
PCDLCPPXL	XL	White	50	10.00



- * Helps provide basic protection against dusts and light liquid splashes
- * Brand : Picasaf





Non-woven Mop Cap-Clip

Code	Description	Elastic	Packing	RM
PCDMCSC	21" White	Single Clip	20/box	20.00



* Packaging : 100pcs/pkt



0.33 x 0.25 x 0.44m



Disposable Beard Cover

Code	Colour	Packing	RM
PCDBC	White	100	26.00



* 100pc/polybag
* 40gm



Disposable Shoe Cover

Code	Description	Packing	RM
PCDSCCPE	CPE	20	20.00



* Size: 16cm x 38cm
* 100pc/polybag



0.5 x 0.2 x 0.32m





Back View

Back Support Belt with Reflective Strip

Code	Size	Waist	Packing	RM
PCBSB7080-S	S	28" ~ 32"	20	64.00*
PCBSB7080-M	M	32" ~ 37"	20	64.00*
PCBSB7080-L	L	37" ~ 43"	20	64.00*
PCBSB7080-XL	XL	43" ~ 49"	20	64.00*
PCBSB7080-XXL	XXL	49" ~ 55"	20	64.00*



- * Use to reduce repetitive back strain
- * It helps to reduce lower back discomfort
- * Packaging : 0pcs/pkt


 0 x 0 x 0m



1-1/4" extra wide support elastic suspenders.

Smooth glide adjustable clips.

Easy adjust elastic outer panels for added lower back support.

Fully enclosed spring steel stays for flexible, contoured support.

Tapered abdominal support panels.

Breathable



RUBBEREX Green Nitrile Gloves

Code	Length	Size	Colour	Packing	RM/pr
PCNRG13L	13"	L	Green	12/144	15.00
PCNRG13XL	13"	XL	Green	12/144	15.00

- * Super Sensitive & Comfortable Nitrile Gloves
- * Excellent Grip
- * Chemical Resistant Glove By Acrylonitrile Butadiene Compound
- * Proven Durability Against Solvents, Oil, Fats And Bleaching Chemical Agents
- * Specially Designed For Handling Food & Animal Fats
- * Ideal Glove For People Who Have Sensitive Skin Or Allergic To Natural Rubber Protein



Nitrile Rubber Glove

Code	Length	Colour	Packing	RM
PCNRG18	18"	Green	6/36pr	44.00



- * Made from high quality nitrile rubber for long working life
- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for heavy duty application
- * Thickness : 22mil



Household Rubber Glove

Code	Length	Size	Packing	RM/pr
LCHRG13M	13"	M	144pr	7.50
LCHRG13L	13"	L	144pr	7.50

- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for general application
- * Brand : Lacot



Household Rubber Glove

Code	Length	Colour	Packing	RM/pr
PCHRGM	12"	Red	12/300pr	3.60*



- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for general application



Household Rubber Glove

Code	Length	Colour	Packing	RM/pr
PCHRGL	12"	Yellow	12/300pr	3.60*



- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for general application





Industrial Rubber Glove

Code	Length	Colour	Packing	RM/dz
EK13BK	13"	Black	30dz	48.00

- * Made with Natural High Grade Pigmented Latex
- * Durable for better protection of your hands
- * Diamond grip pattern for better grip
- * Contour shape for better comfort
- * Soft and easy to don
- * Brand : Elephant King



Industrial Rubber Glove - H/Duty

Code	Length	Colour	Packing	RM/dz
EK13BKHD	13"	Black	10dz	56.00

- * Made with Natural High Grade Pigmented Latex
- * Durable for better protection of your hands
- * Diamond grip pattern for better grip
- * Thicker for superior protection against abrasion
- * Contour shape for better comfort
- * Soft and easy to don
- * Brand : Elephant King



Industrial Extra Long Rubber Glove

Code	Size	Colour	Packing	RM/dz
RGEL18LC	18" (240 ~ 250g)	Black	6dz	216.00

- * Material : Natural High Grade Pigmented Latex
- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for heavy duty application
- * Brand : LONGCANE



Building Construction



Industrial Uses



Agricultural Uses



Cleaning Purposes



Household / General Uses



Nitrile Disposable Gloves

Code	Description	Size	Packing	RM/box
50124/S	Nitrile, Powder Free	S	10	50.00
50124/M	Nitrile, Powder Free	M	10	50.00
50124/L	Nitrile, Powder Free	L	10	50.00
50124/XL	Nitrile, Powder Free	XL	10	50.00

* Packing : 100pcs/box



Disposable Latex Finger Coat

Code	Description	Size	Pc/pkt	Packing	RM/pkt
PCDLFC	Latex	L	1000	20pkt	40.00



- * Dust free and powder free
- * Low sulphur content
- * Elongation >700%



Disposable PE Gloves

Code	Description	Packing	RM/pkt
PCDPEG	Free Size	100pkt	5.40



* 100pcs/pkt




Latex Exam Glove

Code	Description	Size	Packing	RM/box
PCLEGS	Powder	S	10 Box	30.00
PCLEGM	Powder	M	10 Box	30.00
PCLEGL	Powder	L	10 Box	30.00
PCLEGPFS	Powder Free	S	10 Box	32.00
PCLEGPFM	Powder Free	M	10 Box	32.00
PCLEGPFL	Powder Free	L	10 Box	32.00
PCLEGPFXL	Powder Free	XL	10 Box	32.00



* 100pcs/Box




White Knitted Gloves

Code	Model	Nt.Wt	Packing	RM/dz
PCWKGB104	B104	380g	65dz	10.40



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond

0.072m³, GW 24.7kg



White Knitted Gloves

Code	Model	Nt.Wt	Packing	RM/dz
PCWKA105	A105	480g	60dz	12.00



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond

0.09m³, GW 28.8kg



Knitted Cotton Gloves

Code	Model	Nt.Wt	Packing	RM/dz
PCWKA106	A106	600g	50dz	14.00



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond

0.92m³, GW : 30kg



Knitted Cotton Gloves

Code	Size	Colour	Packing	RM/dz
PCWKG15	15"	White	30dz	30.00



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond



Traffic Button Glove (Inter - Lock)

Code	Colour	Description	Packing	RM/dz
PCTBGW	White	TC (police)	50dz	80.00



- * Comfortable soft feel
- * Snap button closure
- * Gloves are also worn when attending night functions



Batik Knitted Glove

Code	Model	Nt.Wt	Packing	RM/dz
PCBKGA500	A500	500g	60dz	11.20



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry



0.092m³, GW 30kg



Batik Knitted Glove

Code	Model	Nt.Wt	Packing	RM/dz
PCBK700	M1200	700g	40dz	13.60
PCBK750	G1200	750g	50dz	14.40



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry
- * Brand : Rabbit



0.094m³, GW 35kg



Batik Knitted Glove

Code	Model	Nt.Wt	Packing	RM/dz
BELE1200	E1200	850g	50dz	16.00



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry



Batik Knitted Glove

Code	Model	Nt.Wt	Packing	RM/dz
BELAA1200	AA1200	1000g	50dz	18.40



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry





blade cut resistance

Cut 5 PU Coated Glove

Code	Size	Palm	Back	Bag	Packing	RM/pr
PCC5PCGM	8/M	PU/HPPE	HPPE	1pr	12/120	22.50
PCC5PCGL	9/L	PU/HPPE	HPPE	1pr	12/120	22.50
PCC5PCGXL	10/XL	PU/HPPE	HPPE	1pr	12/120	22.50



0.55 x 0.26 x 0.24m

	Colour	Material	Gauges	Thickness
Palm	Grey			1mm
	Black and White	HPPE (High Performance Polyethylene)	13	
Back	Black and White	HPPE (High Performance Polyethylene)	13	
Lining				
Cuff	Black and White	HPPE (High Performance Polyethylene) + elastic	13	
Binding	Black	Polyester		



Poly Dot Knitted Glove

Code	Dot	Nt.Wt	Bag	Packing	RM/dz
PCPDKG660	Colour	660g	12pr	50dz	21.00



- * Small PVC dots on both palm & both palm and forefinger for a solid grip against any coated object
- * Made from natural cotton/canvas gloves that come with knitted wrist
- * Cotton/polyester string knit. Wear on either hand
- * Elasticized wrist.
- * Suitable for Automobile Industry, Construction & Machinery Industry

0.107m³

Putkal Dotted Canvas Glove

Code	Dot	Nt.Wt	Bag	Packing	RM/dz
PCPDCG8	Black	700g	12pr	25dz	36.00



- * Small PVC dots on both palm & both palm and forefinger for a solid grip against any coated object
- * Made from natural cotton/canvas gloves that come with knitted wrist
- * Cotton/polyester string knit. Wear on either hand
- * Elasticized wrist.
- * Suitable for Automobile Industry, Construction & Machinery Industry



0.5 x 0.5 x 0.25



Nylon Glove Liner - 电子手套

Code	Nt.Wt	Colour	Bag	Packing	RM/dz
PCNGL13G	13g	White / Green	1dz	80	15.00



- * Form-fitting design for a skin-tight fit
- * Thin fabric for optimum dexterity and sense of touch
- * Cuffs are color coded for easy sorting
- * Washable



Latex Coated Knitted Glove - Super Grip

Code	Size	Edge	Bag	Packing	RM/pr
PCSGLCG8	8/M	Brown	1pr	12/120	5.00
PCSGLCG9	9/L	Black	1pr	12/120	5.00
PCSGLCG10	10/XL	Red	1pr	12/120	5.00



- * Quality latex will not get sticky & leave mark on surface
- * Dense liner & thick latex coating, good abrasion & puncture resistance
- * Textured palm for extra grip - wet or dry
- * Breathable knit back for a comfortable fit in hot weather
- * Seamless fit provides maximum flexibility and high dexterity



 0.53 x 0.26 x 0.33m



Latex Coated Knitted Glove - Super Grip

Code	Colour	Size	Bag	Packing	RM/pr
PCSGLCB9	Grey Blue	9/L	1pr	12/120	4.80



- * Rubber coating provides superior abrasion resistance
- * Textured palm for extra grip - wet or dry
- * Breathable knit back for a comfortable fit in hot weather
- * Seamless fit provides maximum flexibility and high dexterity
- * Packing. 1pr / Pkt, 12pr/bag, 120/carton



Rubber Coated Knitted Glove

Code	Colour	Size	Bag	Packing	RM(pr) / (dz)
PCRCGGY	Green Yellow	9/L	12pr	12/120	4.40 / 52.80



- * Rubber coating provides superior abrasion resistance
- * Textured palm for extra grip - wet or dry
- * Breathable knit back for a comfortable fit in hot weather
- * Seamless fit provides maximum flexibility and high dexterity



 0.53 x 0.26 x 0.33m



Latex Coated Glove (Economic) - 870

Code	Colour	Nt.Wt	Bag	Packing	RM/dz
PCLCG870GY	Green/Yellow	950g	12pr	12/240	42.00

- * Must Store in cold dry place, avoid sunlight
- * Low quality, latex will get sticky & leave mark over a period of short time
- * Lines is not dense, offer one-time or light duty job function



 0.08m³



Nitrile Smooth Flexigrip Polyester Glove

Code	Size	Colour	Bag	Packing	RM/pr
PCNSFGGW	8 / L	Grey/White	1pr	12/120	5.00



- * Comfortable, Light weight, Flexible, perform light duty work in all environment
- * Nitrile micro foam coating offers excellent abrasion resistant, chemical and oil resistant
- * Nitrile offer better oil resistant than Rubber
- * Excellent grip with durable coating



0.44 x 0.26 x 0.28m, GW: 6.4kg



Nitrile Smooth Flexigrip Polyester Glove

Code	Size	Colour	Bag	Packing	RM/pr
PCNSFGBB	8 / L	Black/Black	1pr	12/120	5.00



- * Comfortable, Light weight, Flexible, perform light duty work in all environment
- * Nitrile micro foam coating offers excellent abrasion resistant, chemical and oil resistant
- * Nitrile offer better oil resistant than Rubber
- * Excellent grip with durable coating



0.44 x 0.26 x 0.28m, GW: 6.4kg



Excellent abrasion resistant



Nylon Spandex Nitrile Glove

Code	Colour	Bag	Packing	RM/pr
PCNSGSB	Sandy Black	1pr	12/120	11.00



- * Nitrile sandy finish coating offers excellent abrasion resistant, chemical and oil resistant
- * Provides breathability, dexterity and excellent grip on wet and dry surfaces
- * Good dexterity, flexibility and tactility
- * Versatile for use in automotive industries and general works
- * Sandy finish offer better oil slippery resistant compare with microfoam coating
- * Abrasion rating for sandy finish (4) better than microfoam (3)



0.53 x 0.26 x 0.24m, GW: 6.5kg



Touchscreen



Comfort Touchscreen PU Poly Glove

Code	Colour	Bag	Packing	RM/pr
PCCTPGBG	Black/Grey	1pr	12/120	6.00



- * Touchscreen type: PU coated
- * Anti-static, light weight, comfortable, flexible
- * Excellent grip with durable coating
- * Good dexterity, flexibility and tactility
- * Versatile for use in electronics industries and general works
- * Contents low DMF
- * Comfortable, Light weight, Flexible, perform light duty work in all environment



0.44 x 0.26 x 0.26m, GW: 6.4kg



PVC Glove (Interlock Lining)

Code	Size	Colour	Packing	RM/dz
PCPVC11	11"	Red	10dz	90.00
PCPVC14	14"	Red	10dz	110.00
PCPVC18	18"	Red	10dz	160.00



- * Resistant to oil and grease
- * Suitable Automotive, fisheries, pharmaceutical, petroleum refining, forestry, general purpose, maintenance, manufacturing



11" : 0.28 x 0.28 x 0.58m, 19kg 18" : 0.28 x 0.47 x 0.58m, 32kg
 14" : 0.28 x 0.37 x 0.55m, 24kg



Comfort Grip Glove (4122)

Code	Size	Model	Bag	Packing
3MCGG-S	S	GRA50E	10pr	10/100
3MCGG-M	M / 8	GRA100E	10pr	10/100
3MCGG-L	L / 9	GRA200E	10pr	10/100
3MCGG-XL	XL / 10	GRA300E	10pr	10/100



- * Excellent grip, even in wet or oily conditions
- * Nylon stretch liner, breathable & fir, perfect for precision handling jobs
- * Nitrile palm coating, light, flexible, abrasion-resistant and long lasting
- * Knit wrist cuff, comfortable and washable

Standard	Mechanical Risks	3M Comfort Grip
EN 388	Abrasion Res.	Level 4
	Blade Cut Res.	Level 1
	Tear Res.	Level 2
	Puncture Res.	Level 2





Blue Jean BJ S/Leather Glove

Code	Size	Description	Packing	RM/dz
PCSLGBJ	10.5"	18.5kg+-	10dz	84.00



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Patched palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



0.28 x 0.28 x 0.74m, GW 20kg



Rainbow BJ S/Leather Glove

Code	Size	Description	Packing	RM/dz
PCSLGBJMX	10.5"	Mix Colour	10dz	80.00



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Patched palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



Furniture Hide S/Leather Glove

Code	Size	Description	Packing	RM/dz
PCSLGFH	10.5"	1 color	10dz	94.00



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Patched palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



0.28 x 0.28 x 0.80m, GW 20.5kg



Furniture Hide S/Leather Glove

Code	Size	Description	Packing	RM/dz
PCSLGFHFP	10.5"	Full Palm	10dz	110.00



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Patched palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



0.28 x 0.28 x 0.80m, GW 20.5kg



Premium Working S/Leather Glove

Code	Size	Colour	Packing	RM/dz
PCPWSLGY	10.5"	Yellow	10dz	106.00



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Patched palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



0.28 x 0.28 x 0.80m, 24.5kg





Soft Grain Argon Glove

Code	Size	Colour	Packing	RM/pr
PCAGSGMY	M	Yellow	12/120	26.00
PCAGSGLY	L	Yellow	12/120	30.00



- * Argon Glove White Brown Line made of high quality full grain leather with binding tape
- * Extra comfort and offer high durability.



Cow Grain Driver Glove

Code	Size	Colour	Packing	RM/pr
PCDGCG	L 10.5" (27cm)	Beige	12/120	26.00



- * Premium Driver Glove, offers good abrasion resistance, gunn cut and straight thumb construction, unlined for greater ventilation.



Asbestos Glove

Code	Size	Description	Packing	RM/pr
PCAB15	15"	350°C	5/50pr	37.00
PCAB18	18"	350°C	5/50pr	40.00



- * Comfortable to wear, long lasting, stretchable, fine-finish
- * High quality spatial asbestos cloth
- * Superior flannel lining
- * Recommended safety temp. <300°C



Full Lined Leather Glove

Code	Size	Colour	Packing	RM/dz
PCFLG13MQG	31cm MQG	Green	8dz	148.00



- * Medium Quality
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



0.62 x 0.31 x 0.59m



Full Lined Leather Glove

Code	Size	Colour	Packing	RM/dz
PCFLG14HQR	14" HQR	Red	6dz	160.00



- (Formerly Known as CYBER BCR)
- * Medium Quality, Thick, Reinforced Strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



0.27 x 0.35 x 0.84m



Full Lined Leather Glove

Code	Size	Colour	Packing	RM/dz
PCFLG14WSR	14" WSR	Red	5dz	190.00



- * Medium Quality, Thick, Reinforced Strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



0.27 x 0.35 x 0.72m



Full Lined Leather Glove

Code	Size	Colour	Packing	RM/dz
PCFLG14WSB	14" WSB	Blue	5dz	200.00



- * High Quality, Thick, Reinforced Strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



0.27 x 0.35 x 0.72m





Full Lined Leather Glove

Code	Size	Colour	Packing	RM/pr
PCFLG18HQR	18" HQR	Red	60pr	26.00



- * Medium quality, thick, reinforced strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



0.27 x 0.45 x 0.72m



Kevlar Thread Reinforce Full Lined Leather


Code	Size	Colour	Packing	RM/dz
PCFLG14KRY	14"	Yellow	5dz	220.00



- * Premium grade split leather
- * Heat resistance
- * Kevlar thread and reinforcing leather piping at seams
- * Breathable Inner Liner
- * Reinforced leather strip on finger & palm



Kevlar Thread



Breathable Inner Liner



Safety Shoe (Economic)

Code	Model	Size	Packing	RM
PCSSP800-04	P800	37 / 4	10	56.00
PCSSP800-05	P800	38 / 5	10	56.00
PCSSP800-06	P800	39 / 6	10	56.00
PCSSP800-07	P800	41 / 7	10	56.00
PCSSP800-08	P800	42 / 8	10	56.00
PCSSP800-09	P800	43 / 9	10	56.00
PCSSP800-10	P800	44 / 10	10	56.00
PCSSP800-11	P800	46 / 11	10	56.00
PCSSP800-12	P800	47 / 12	10	56.00


ECO

- * Metal Toe Cap
- * Metal midsole
- * Limited Protection



High Ankle Safety Shoe (Economic)

Code	Model	Size	Packing	RM
PCSSP802-04	P802	37 / 4	10	63.00
PCSSP802-05	P802	38 / 5	10	63.00
PCSSP802-06	P802	39 / 6	10	63.00
PCSSP802-07	P802	41 / 7	10	63.00
PCSSP802-08	P802	42 / 8	10	63.00
PCSSP802-09	P802	43 / 9	10	63.00
PCSSP802-10	P802	44 / 10	10	63.00
PCSSP802-11	P802	46 / 11	10	63.00
PCSSP802-12	P802	47 / 12	10	63.00


ECO

- * Metal Toe Cap
- * Metal midsole
- * Limited Protection



Safety Shoe (Cyber Economic)

Code	Model	Size	Packing	RM
PCCS3000-37	3000	37 / 4	10	68.00
PCCS3000-38	3000	38 / 5	10	68.00
PCCS3000-39	3000	39 / 6	10	68.00
PCCS3000-41	3000	41 / 7 (UK)	10	68.00
PCCS3000-42	3000	42 / 8	10	68.00
PCCS3000-43	3000	43 / 9	10	68.00
PCCS3000-44	3000	44 / 10	10	68.00
PCCS3000-45	3000	45 / 11	10	68.00
PCCS3000-47	3000	47 / 12	10	68.00




- * Black Smooth Leather
- * Metal Toe Cap
- * Limited Protection
- * Rubber Sole
- * Breathable Black Mesh
- * Metal Midplate

0.6 x 0.42 x 0.32m



D W H 0.6 x 0.42 x 0.32m



Laced Shoe				
Code	Model	Size	Packing	RM
PCSS600-37	600	37 / 4	10	84.00
PCSS600-38	600	38 / 5	10	84.00
PCSS600-39	600	39 / 6	10	84.00
PCSS600-41	600	41 / 7 (UK)	10	84.00
PCSS600-42	600	42 / 8	10	84.00
PCSS600-43	600	43 / 9	10	84.00
PCSS600-44	600	44 / 10	10	84.00
PCSS600-45	600	45 / 11	10	84.00
PCSS600-47	600	47 / 12	10	84.00



- * Nitrile Rubber Sole
- * Black Smooth Leather
- * Oil / Acid Resistant
- * Steel Toe Cap (EN 12568 200 joule)
- * Breathable Black Mesh
- * Mid Steel Plate Penetration: 1100 Newtons
- * Heat Resistant, Cold Insulation
- * Anti Slip, Heel Energy (20 Joule)
- * Ventilates Moisture



D W H 0.61 x 0.425 x 0.34m




Ankle Boot				
Code	Model	Size	Packing	RM
PCSS602-38	602	38 / 5	10	94.00
PCSS602-39	602	39 / 6	10	94.00
PCSS602-41	602	41 / 7 (UK)	10	94.00
PCSS602-42	602	42 / 8	10	94.00
PCSS602-43	602	43 / 9	10	94.00
PCSS602-44	602	44 / 10	10	94.00
PCSS602-45	602	45 / 11	10	94.00



- * Nitrile Rubber Sole
- * Black Smooth Leather
- * Oil / Acid Resistant
- * Steel Toe Cap (EN 12568 200 joule)
- * Breathable Black Mesh
- * Mid Steel Plate Penetration: 1100 Newtons
- * Heat Resistant, Cold Insulation
- * Anti Slip, Heel Energy (20 Joule)
- * Ventilates Moisture

- Leather
- Nitrile Rubber Sole
- Anti Slip
- Steel Sole 1100 Newton
- Oil & Abrasive Resistant
- Heel Energy 20 Joule / 10 Joule
- 200J Toe Protection
- Ventilates Moisture
- Heat Resistant Sole Up To 300°C During 1 Minute
- Cold Insulation of Sole Complex
- Style & Comfort





Texan Boot

Code	Model	Size	Packing	RM
PCSS9105-38	9105	38 / 5	10	130.00
PCSS9105-39	9105	39 / 6	10	130.00
PCSS9105-41	9105	41 / 7 (UK)	10	130.00
PCSS9105-42	9105	42 / 8	10	130.00
PCSS9105-43	9105	43 / 9	10	130.00
PCSS9105-44	9105	44 / 10	10	130.00
PCSS9105-46	9105	45 / 11	10	130.00



- * Nitrile Rubber Sole
- * Black Smooth Leather
- * Oil / Acid Resistant
- * Steel Toe Cap (EN 12568 200 joule)
- * Breathable Black Mesh
- * Mid Steel Plate Penetration: 1100 Newtons
- * Heat Resistant, Cold Insulation
- * Anti Slip, Heel Energy (20 Joule)
- * Ventilates Moisture

0.72 x 0.665 x 0.36m



Safety Wellington Boot (PVC)

Code	Model	Size	Packing	RM
PCWB9152-39	9152	39 / 6	10	60.00
PCWB9152-41	9152	41 / 7	10	60.00
PCWB9152-42	9152	42 / 8	10	60.00
PCWB9152-43	9152	43 / 9	10	60.00
PCWB9152-44	9152	44 / 10	10	60.00
PCWB9152-45	9152	45 / 11	10	60.00



- * Polyester Lining
- * Waterproof
- * Steel Toe Cap
- * PVC Sole
- * EN ISO 9001:2008
- * CE NO. LEC FI00363952 (Extension to certificate LEC FI00339744)
- * CE Category : S5 SRA

0.59 x 0.4 x 0.36m



Safety Wellington Boot (PVC)

Code	Model	Size	Packing	RM
PCWB9153-38	9153	38 / 5	10	64.00
PCWB9153-39	9153	39 / 6	10	64.00
PCWB9153-41	9153	41 / 7	10	64.00
PCWB9153-42	9153	42 / 8	10	64.00
PCWB9153-43	9153	43 / 9	10	64.00
PCWB9153-44	9153	44 / 10	10	64.00
PCWB9153-45	9153	45 / 11	10	64.00
PCWB9153-46	9153	46 / 12	10	64.00



- * Polyester Lining
- * Waterproof
- * Steel Toe Cap
- * PVC Sole
- * EN ISO 9001:2008
- * CE NO. LEC FI00363952 (Extension to certificate LEC FI00339744)
- * CE Category : S5 SRA
- * Mid Steel Plate Penetration: 1100 Newtons

0.58 x 0.40 x 0.42m





D W H 0.6 x 0.42 x 0.32m



Laced Shoe

Code	Model	Size	Packing	RM
PCS1011-4	1011 SBP	37 / 4	10	90.00
PCS1011-5	1011 SBP	38 / 5	10	90.00
PCS1011-6	1011 SBP	39 / 6	10	90.00
PCS1011-7	1011 SBP	41 / 7	10	90.00
PCS1011-8	1011 SBP	42 / 8	10	90.00
PCS1011-9	1011 SBP	43 / 9	10	90.00
PCS1011-10	1011 SBP	44 / 10	10	90.00
PCS1011-11	1011 SBP	46 / 11	10	90.00
PCS1011-12	1011 SBP	47 / 12	10	90.00



- * Upper - Black Synthetic Leather
- * Collar, Tongue - Black Synthetic Material
- * Lining - Orange/ Grey Mesh
- * Toe Cap, Midsole - Steel, EN12568
- * Sole - PVC Double Density Injection Sole
- * Insock: EVA Padding with Mesh
- * Heel Energy 10 Joule
- * Oil Resistant

MS
SIRIM DOSH
Cert No : PC004955



D W H 0.6 x 0.42 x 0.32m



Ankle Shoe

Code	Model	Size	Packing	RM
PCS1021-5	1021 SBP	38 / 5	10	96.00
PCS1021-6	1021 SBP	39 / 6	10	96.00
PCS1021-7	1021 SBP	41 / 7	10	96.00
PCS1021-8	1021 SBP	42 / 8	10	96.00
PCS1021-9	1021 SBP	43 / 9	10	96.00
PCS1021-10	1021 SBP	44 / 10	10	96.00
PCS1021-11	1021 SBP	46 / 11	10	96.00
PCS1021-12	1021 SBP	47 / 12	10	96.00



- * Upper - Black Synthetic Leather
- * Collar, Tongue - Black Synthetic Material
- * Lining - Orange/ Grey Mesh
- * Toe Cap, Midsole - Steel, EN12568
- * Sole - PVC Double Density Injection Sole
- * Insock: EVA Padding with Mesh
- * Heel Energy 10 Joule
- * Oil Resistant

MS
SIRIM DOSH
Cert No : PC004955

Steel Toe Cap Test



STEEL

Before



After



≥ 200 Joules
Height:
 $\geq 20.5 \sim 21.5$ mm
(depends on
the shoe size)

METAL

Before



After



≥ 1100 Newtons

Metal

437 Newtons



Steel

1200 Newtons





D W H 0.6 x 0.42 x 0.32m



Laced Shoe

Code	Model	Size	Packing	RM
PCS7118-4	7118 SBP	37 / 4	10	114.00
PCS7118-5	7118 SBP	38 / 5	10	114.00
PCS7118-6	7118 SBP	39 / 6	10	114.00
PCS7118-7	7118 SBP	41 / 7	10	114.00
PCS7118-8	7118 SBP	42 / 8	10	114.00
PCS7118-9	7118 SBP	43 / 9	10	114.00
PCS7118-10	7118 SBP	44 / 10	10	114.00
PCS7118-11	7118 SBP	46 / 11	10	114.00
PCS7118-12	7118 SBP	47 / 12	10	114.00



- * Upper - Black Split Embossed Leather
- * Collar, Tongue - Black Synthetic Material
- * Lining - Black Mesh
- * Toe Cap, Midsole - Steel, EN12568
- * Sole - PU Double Density Injection Sole in Black Colour
- * Insock: EVA Padding with Mesh
- * Heel Energy 10 Joule
- * Oil Resistant

MS
SIRIM DOSH
Cert No : PC004955



D W H 0.6 x 0.42 x 0.32m




Ankle Shoe

Code	Model	Size	Packing	RM
PCS7218-5	7218 SBP	38 / 5	10	120.00
PCS7218-6	7218 SBP	39 / 6	10	120.00
PCS7218-7	7218 SBP	41 / 7	10	120.00
PCS7218-8	7218 SBP	42 / 8	10	120.00
PCS7218-9	7218 SBP	43 / 9	10	120.00
PCS7218-10	7218 SBP	44 / 10	10	120.00
PCS7218-11	7218 SBP	46 / 11	10	120.00
PCS7218-12	7218 SBP	47 / 12	10	120.00



- * Upper - Black Split Embossed Leather
- * Collar, Tongue - Black Synthetic Material
- * Lining - Black Mesh
- * Toe Cap, Midsole - Steel, EN12568
- * Sole - PU Double Density Injection Sole in Black Colour
- * Insock: EVA Padding with Mesh
- * Heel Energy 10 Joule
- * Oil Resistant

MS
SIRIM DOSH
Cert No : PC004955



Lining



0.72 x 0.665 x 0.36cm



Texan Boot


Code	Model	Size	Packing	RM
PCSS7518-4	7518 SBP	37 / 4	10	230.00
PCSS7518-5	7518 SBP	38 / 5	10	230.00
PCSS7518-6	7518 SBP	39 / 6	10	230.00
PCSS7518-7	7518 SBP	41 / 7	10	230.00
PCSS7518-8	7518 SBP	42 / 8	10	230.00
PCSS7518-9	7518 SBP	43 / 9	10	230.00
PCSS7518-10	7518 SBP	44 / 10	10	230.00
PCSS7518-11	7518 SBP	46 / 11	10	230.00
PCSS7518-12	7518 SBP	47 / 12	10	230.00
PCSS7518-13	7518 SBP	48 / 13	10	230.00




- * Upper - Black Split Embossed Leather
- * Collar, Tongue - Black Synthetic Material
- * Lining - Black Mesh
- * Toe Cap, Midsole - Steel, EN12568
- * Sole - PU Double Density Injection Sole in Black Colour
- * Insock: EVA Padding with Mesh
- * Heel Energy 10 Joule
- * Oil Resistant

SIRIM MS DOSH
Cert No : PC004955

1011SBP, 1021SBP, 7118SBP, 7218SBP, 7518SBP





Safety Shoe - R3000

R3000	R3000P	Size	Packing
BKSSR3000-4	BKSSR3000P-4	4	10
BKSSR3000-5	BKSSR3000P-5	5	10
BKSSR3000-6	BKSSR3000P-6	6	10
BKSSR3000-7	BKSSR3000P-7	7	10
BKSSR3000-8	BKSSR3000P-8	8	10
BKSSR3000-9	BKSSR3000P-9	9	10
BKSSR3000-10	BKSSR3000P-10	10	10
BKSSR3000-11	BKSSR3000P-11	11	10




R3000 : RM 152.00

R3000P : RM 168.50

* P (With Steel Mid Steel Plate : 1100 Newtons)



SIRIM
MS ISO 20345



Safety Shoe - R3001

R3001	R3001P	Size	Packing
BKSSR3001-4	BKSSR3001P-4	4	10
BKSSR3001-5	BKSSR3001P-5	5	10
BKSSR3001-6	BKSSR3001P-6	6	10
BKSSR3001-7	BKSSR3001P-7	7	10
BKSSR3001-8	BKSSR3001P-8	8	10
BKSSR3001-9	BKSSR3001P-9	9	10
BKSSR3001-10	BKSSR3001P-10	10	10
BKSSR3001-11	BKSSR3001P-11	11	10



R3001 : RM 166.00

R3001P : RM 182.50

* P (With Steel Mid Steel Plate : 1100 Newtons)



SIRIM
MS ISO 20345



Slip Resistance



Oil Resistance



Safety Steel Toe Cap
200 Joules



Steel Midsole (P)
Piercing Resistance



Resistance To Hot
Contact Up To 300°C



Nitrile Rubber
Outsole



Ventilates Moisture



Breathable Lining



Safety Shoe

Code	Model	Size	Packing	RM
SBSSVP2000-04	VP2000	4	10	108.00
SBSSVP2000-05	VP2000	5	10	108.00
SBSSVP2000-06	VP2000	6	10	108.00
SBSSVP2000-07	VP2000	7	10	108.00
SBSSVP2000-08	VP2000	8	10	108.00
SBSSVP2000-09	VP2000	9	10	108.00
SBSSVP2000-10	VP2000	10	10	108.00
SBSSVP2000-11	VP2000	11	10	108.00
SBSSVP2000-12	VP2000	12	10	108.00



* Come with Metal Toe Cap
* Come with Metal Midsole Plate



Safety Shoe

Code	Model	Size	Packing	RM
SBSSVP2003-04	VP2003	4	10	132.00
SBSSVP2003-05	VP2003	5	10	132.00
SBSSVP2003-06	VP2003	6	10	132.00
SBSSVP2003-07	VP2003	7	10	132.00
SBSSVP2003-08	VP2003	8	10	132.00
SBSSVP2003-09	VP2003	9	10	132.00
SBSSVP2003-10	VP2003	10	10	132.00
SBSSVP2003-11	VP2003	11	10	132.00
SBSSVP2003-12	VP2003	12	10	132.00



* Come with Metal Toe Cap
* Come with Metal Midsole Plate



Safety Shoe

Code	Model	Size	Packing	RM
SBSSVP2008-05	VP2008	5	10	153.00
SBSSVP2008-06	VP2008	6	10	153.00
SBSSVP2008-07	VP2008	7	10	153.00
SBSSVP2008-08	VP2008	8	10	153.00
SBSSVP2008-09	VP2008	9	10	153.00
SBSSVP2008-10	VP2008	10	10	153.00
SBSSVP2008-11	VP2008	11	10	153.00
SBSSVP2008-12	VP2008	12	10	153.00



* Come with Metal Toe Cap
* Come with Metal Midsole Plate



Slip Resistance



Oil Resistance



Metal Toe Cap
(limited protection)



Breathable Lining



Metal Midsole (P)
limited protection
(optional)



Resistance To Hot
Contact Up To 300°C
(1 minute)



Ventilates Moisture



Leather



Safety Shoe

Code	Model	Colour	Size	Packing	RM
SBSSVP2005-05	VP2005	Black	5	10	168.00
SBSSVP2005-06	VP2005	Black	6	10	168.00
SBSSVP2005-07	VP2005	Black	7	10	168.00
SBSSVP2005-08	VP2005	Black	8	10	168.00
SBSSVP2005-09	VP2005	Black	9	10	168.00
SBSSVP2005-10	VP2005	Black	10	10	168.00
SBSSVP2005-11	VP2005	Black	11	10	168.00
SBSSVP2005K-05	VP2005	Brown	5	10	168.00
SBSSVP2005K-06	VP2005	Brown	6	10	168.00
SBSSVP2005K-07	VP2005	Brown	7	10	168.00
SBSSVP2005K-08	VP2005	Brown	8	10	168.00
SBSSVP2005K-09	VP2005	Brown	9	10	168.00
SBSSVP2005K-10	VP2005	Brown	10	10	168.00
SBSSVP2005K-11	VP2005	Brown	11	10	168.00



* Come with Metal Toe Cap

* Come with Metal Midsole Plate



Safety Shoe

Code	Model	Size	Packing	RM
SBSSVRM900G-04	VRM900G	4	10	112.50
SBSSVRM900G-05	VRM900G	5	10	112.50
SBSSVRM900G-06	VRM900G	6	10	112.50
SBSSVRM900G-07	VRM900G	7	10	112.50
SBSSVRM900G-08	VRM900G	8	10	112.50
SBSSVRM900G-09	VRM900G	9	10	112.50
SBSSVRM900G-10	VRM900G	10	10	112.50
SBSSVRM900G-11	VRM900G	11	10	112.50



* Come with Metal Toe Cap

* Come with Metal Midsole Plate



Safety Shoe

Code	Model	Size	Packing	RM
SBSSVRM901K-05	VRM901K	5	10	135.00
SBSSVRM901K-06	VRM901K	6	10	135.00
SBSSVRM901K-07	VRM901K	7	10	135.00
SBSSVRM901K-08	VRM901K	8	10	135.00
SBSSVRM901K-09	VRM901K	9	10	135.00
SBSSVRM901K-10	VRM901K	10	10	135.00
SBSSVRM901K-11	VRM901K	11	10	135.00



* Come with Metal Toe Cap

* Come with Metal Midsole Plate



Safety Shoe (Economic)

Code	Model	Size	Packing	RM
SBSSVE7000-04	VE7000	4	10	67.50
SBSSVE7000-05	VE7000	5	10	67.50
SBSSVE7000-06	VE7000	6	10	67.50
SBSSVE7000-07	VE7000	7	10	67.50
SBSSVE7000-08	VE7000	8	10	67.50
SBSSVE7000-09	VE7000	9	10	67.50
SBSSVE7000-10	VE7000	10	10	67.50
SBSSVE7000-11	VE7000	11	10	67.50
SBSSVE7000-12	VE7000	12	10	67.50

* Come with Metal Toe Cap

* Come with Metal Midsole Plate



Ladies Safety Shoe

Code	Model	Size	Packing	RM
SBSSVLR500-03	VL-R500	3	10	117.00
SBSSVLR500-04	VL-R500	4	10	117.00
SBSSVLR500-05	VL-R500	5	10	117.00
SBSSVLR500-06	VL-R500	6	10	117.00
SBSSVLR500-07	VL-R500	7	10	117.00
SBSSVLR500-08	VL-R500	8	10	117.00

* Come with Metal Toe Cap

* Come with Metal Midsole Plate



Ladies Safety Shoe

Code	Model	Size	Packing	RM
SBSSVLR501-03	VL-R501	3	10	117.00
SBSSVLR501-04	VL-R501	4	10	117.00
SBSSVLR501-05	VL-R501	5	10	117.00
SBSSVLR501-06	VL-R501	6	10	117.00
SBSSVLR501-07	VL-R501	7	10	117.00
SBSSVLR501-08	VL-R501	8	10	117.00

* Come with Metal Toe Cap

* Come with Metal Midsole Plate



PVC Wellington Boot (Lining)

Code	Model	Colour	Size	Packing	RM
PCWB3000-39Y	3000YL	Yellow	39	5/40	35.00
PCWB3000-40Y	3000YL	Yellow	40	5/40	35.00
PCWB3000-41Y	3000YL	Yellow	41	5/40	35.00
PCWB3000-42Y	3000YL	Yellow	42	5/40	35.00
PCWB3000-43Y	3000YL	Yellow	43	5/40	35.00



- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 15"

0.77 x 0.94 x 0.36m



PVC Wellington Boot (Lining)

Code	Model	Colour	Size	Packing	RM
PCWB3000-38B	3000BL	Black	38	5/40	33.00
PCWB3000-39B	3000BL	Black	39	5/40	33.00
PCWB3000-40B	3000BL	Black	40	5/40	33.00
PCWB3000-41B	3000BL	Black	41	5/40	33.00
PCWB3000-42B	3000BL	Black	42	5/40	33.00
PCWB3000-43B	3000BL	Black	43	5/40	33.00




- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12"

0.77 x 0.94 x 0.36m



PICASAF Wellington Boot - Extra Wide Comfortable



	X BRAND size 40/7	PICASAF size 40/7
A	73mm	83mm ✓
B	98mm	110mm ✓
C	68mm	78mm ✓
D	73mm	83mm ✓



Picasaf

X Brand

Picasaf

X Brand



Picasaf

X Brand



PVC Wellington Boot (Lining)

Code	Model	Colour	Size	Packing	RM
KRK7000YL-04	7000	Yellow	37 / 4	12	36.00
KRK7000YL-05	7000	Yellow	38 / 5	12	36.00
KRK7000YL-06	7000	Yellow	39 / 6	12	36.00
KRK7000YL-07	7000	Yellow	40 / 7	12	36.00
KRK7000YL-08	7000	Yellow	41 / 8	12	36.00
KRK7000YL-09	7000	Yellow	42 / 9	12	36.00
KRK7000YL-10	7000	Yellow	43 / 10	12	36.00
KRK7000YL-11	7000	Yellow	44 / 11	12	38.00

* Suitable for all general industries, agricultural, food, garden & more

* Useful in wet, muddy and slippery conditions

* Height: 15"

* Brand : Korakoh



PVC Wellington Boot (Lining)

Code	Model	Colour	Size	Packing	RM
KRK7000BK-05	7000	Black	38 / 5	12	34.00
KRK7000BK-06	7000	Black	39 / 6	12	34.00
KRK7000BK-07	7000	Black	40 / 7	12	34.00
KRK7000BK-08	7000	Black	41 / 8	12	34.00
KRK7000BK-09	7000	Black	42 / 9	12	34.00
KRK7000BK-10	7000	Black	43 / 10	12	34.00
KRK7000BK-11	7000	Black	44 / 11	12	36.00

* Suitable for all general industries, agricultural, food, garden & more

* Useful in wet, muddy and slippery conditions

* Height: 15"

* Brand : Korakoh



Style & Comfort



Chemical Resistant



Oil Resistant



Anti Slip



Wellington Boot (Unlining)

Code	Model	Colour	Size	Packing	RM
OSWB6190-38	6190	Black	38	5/50	15.40
OSWB6190-39	6190	Black	39	5/50	15.40
OSWB6190-40	6190	Black	40	5/50	15.40
OSWB6190-41	6190	Black	41	5/50	15.40
OSWB6190-42	6190	Black	42	5/50	15.40
OSWB6190-43	6190	Black	43	5/50	15.40

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12"
- * Brand : Osaki
- * Made in Malaysia

 0.69 x 0.82 x 0.36m



PVC Wellington Boot (Unlining)

Code	Model	Colour	Size	Packing	RM
KRK6000BK-04	S6000B	Black	37 / 4	50	16.40
KRK6000BK-05	S6000B	Black	38 / 5	50	16.40
KRK6000BK-06	S6000B	Black	39 / 6	50	16.40
KRK6000BK-07	S6000B	Black	40 / 7	50	16.40
KRK6000BK-08	S6000B	Black	41 / 8	50	16.40
KRK6000BK-09	S6000B	Black	42 / 9	50	16.40
KRK6000BK-10	S6000B	Black	43 / 10	50	16.40
KRK6000BK-11	S6000B	Black	44 / 11	50	18.40

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12.5"
- * Brand : Korakoh



Style & Comfort



Chemical Resistant



Oil Resistant



Anti Slip



Wellington Boot (Lining)

Code	Model	Colour	Size	Packing	RM
OSWB8000-38B	8000B	Black	38	5/50	22.00
OSWB8000-39B	8000B	Black	39	5/50	22.00
OSWB8000-40B	8000B	Black	40	5/50	22.00
OSWB8000-41B	8000B	Black	41	5/50	22.00
OSWB8000-42B	8000B	Black	42	5/50	22.00
OSWB8000-43B	8000B	Black	43	5/50	22.00

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12"
- * Brand : Osaki
- * Made in Malaysia


 0.69 x 0.82 x 0.36m



PVC Wellington Boot (Lining)

Code	Model	Colour	Size	Packing	RM
KRK6000ABK-04	S6000A	Black	37 / 4	50	23.00
KRK6000ABK-05	S6000A	Black	38 / 5	50	23.00
KRK6000ABK-06	S6000A	Black	39 / 6	50	23.00
KRK6000ABK-07	S6000A	Black	40 / 7	50	23.00
KRK6000ABK-08	S6000A	Black	41 / 8	50	23.00
KRK6000ABK-09	S6000A	Black	42 / 9	50	23.00
KRK6000ABK-10	S6000A	Black	43 / 10	50	23.00
KRK6000ABK-11	S6000A	Black	44 / 11	50	25.00

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12.5"
- * Brand : Korakoh



Style & Comfort



Chemical Resistant



Oil Resistant



Anti Slip



Wellington Boot (Unlining)

Code	Model	Colour	Size	Packing	RM
KRK6000WH-05	S6000	White	38 / 5	50	32.00
KRK6000WH-06	S6000	White	39 / 6	50	32.00
KRK6000WH-07	S6000	White	40 / 7	50	32.00
KRK6000WH-08	S6000	White	41 / 8	50	32.00
KRK6000WH-09	S6000	White	42 / 9	50	32.00
KRK6000WH-10	S6000	White	43 / 10	50	32.00
KRK6000WH-11	S6000	White	44 / 11	50	34.00

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12.5"
- * Brand : Korakoh



Wellington Boot (Lining)

Code	Model	Colour	Size	Packing	RM
KRK6000AWH-04	S6000A	White	37 / 4	50	37.00
KRK6000AWH-05	S6000A	White	38 / 5	50	37.00
KRK6000AWH-06	S6000A	White	39 / 6	50	37.00
KRK6000AWH-07	S6000A	White	40 / 7	50	37.00
KRK6000AWH-08	S6000A	White	41 / 8	50	37.00
KRK6000AWH-09	S6000A	White	42 / 9	50	37.00
KRK6000AWH-10	S6000A	White	43 / 10	50	37.00
KRK6000AWH-11	S6000A	White	44 / 11	50	39.00

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12.5"
- * Brand : Korakoh



Style & Comfort



Chemical Resistant



Oil Resistant



Anti Slip



903 Short Colour Boot

Code	Model	Size	Packing	RM
PCSB903-36	903	36 / 3	5/50	23.00
PCSB903-37	903	37 / 4	5/50	23.00
PCSB903-38	903	38 / 5	5/50	23.00
PCSB903-39	903	39 / 6	5/50	23.00
PCSB903-40	903	40 / 7	5/50	23.00
PCSB903-41	903	41 / 8	5/50	23.00
PCSB903-42	903	42 / 9	5/50	23.00
PCSB903-43	903	43 / 10	5/50	23.00



- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Color: Brown, Yellow, Black



PVC Lace Labour Shoe

Code	Model	Colour	Size	Packing	RM
OSPS701-36	701	Black	36 / 3	5/100	11.00
OSPS701-37	701	Black	37 / 4	5/100	11.00
OSPS701-38	701	Black	38 / 5	5/100	11.00
OSPS701-39	701	Black	39 / 6	5/100	11.00
OSPS701-40	701	Black	40 / 7	5/100	11.00
OSPS701-41	701	Black	41 / 8	5/100	11.00
OSPS701-42	701	Black	42 / 9	5/100	11.00
OSPS701-43	701	Black	43 / 10	5/100	11.00



PVC Lace Labour Shoe

Code	Model	Colour	Size	Packing	RM
OSPS702-37	702	Black	37 / 4	10/100	11.00
OSPS702-38	702	Black	38 / 5	10/100	11.00
OSPS702-39	702	Black	39 / 6	10/100	11.00
OSPS702-40	702	Black	40 / 7	10/100	11.00
OSPS702-41	702	Black	41 / 8	10/100	11.00
OSPS702-42	702	Black	42 / 9	10/100	11.00
OSPS702-43	702	Black	43 / 10	10/100	11.00



PVC Slip-on Shoe

Code	Model	Colour	Size	Packing	RM
OSPS1603-37	1603	Black	37 / 4	10/100	11.60
OSPS1603-38	1603	Black	38 / 5	10/100	11.60
OSPS1603-39	1603	Black	39 / 6	10/100	11.60
OSPS1603-40	1603	Black	40 / 7	10/100	11.60
OSPS1603-41	1603	Black	41 / 8	10/100	11.60
OSPS1603-42	1603	Black	42 / 9	10/100	11.60




0.79 x 0.85 x 0.33m

Picasaf Body Harness is a form of protective equipment designed to protect a person from injury or damage.

The harness is an attachment between a stationary and non-stationary object and is usually fabricated from rope, cable or webbing and locking hardware.

Some Picasaf Body Harness are used in combination with a shock absorber, which is used to regulate deceleration when the end of the rope is reached.



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * Belt Material - 100% Polyester
- * Sirim : BS EN 361 : 2002

D W H 0.55 x 0.33 x 0.25m, GW 11.5kg

Body Harness (9802)

Code	Model	Size	Art	Packing	RM
PCBH9802	9802	XL	1831000-2	10	120.00
PCBH9802-3XL	9802	3XL	1831000-2	10	135.00



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570

- * 1pc D-Ring on back
- * Front buckle for strap adjustment
- * 2pcs D-Ring on Chest
- * Adjustable thigh strap
- * 1pc Carabiner on waist
- * 1pc Carabiner
- * Belt Material - 100% Polyester
- * Sirim : BS EN 361 : 2002

D W H 0.55 x 0.33 x 0.25m

Body Harness (9803)

Code	Model	Size	Art	Packing	RM
PCBH9803WO	9803	XL	1831000-3	10	160.00





CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * 1.8m lanyard & big steel hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



0.55 x 0.33 x 0.25m, GW 18kg



Full Body Harness Set (980213)

Code	Model	Description	Art	Packing	RM
PCBH980213	980213	9802+9813	1831000-2	12	200.00



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back
- * Front buckle for strap adjustment
- * 2pcs D-Ring on Chest
- * Adjustable thigh strap
- * 1pc Carabiner on waist
- * 1pc Carabiner
- * 1.8m lanyard & big steel hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



0.55 x 0.33 x 0.25m, GW 21.5kg



Full Body Harness Set (980313)

Code	Model	Description	Art	Packing	RM
PCBH980313	980313	9803+9813	1831000-2	10	240.00



CE CE 0321

BS EN 361 : 2002
Cert No : PC002570BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * Come with Carabiner, Energy Absorber
- * 1.8m lanyard & big steel hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



0.55 x 0.33 x 0.25m, GW 20kg



Full Body Harness Set (980214)

Code	Model	Description	Art	Packing	RM
PCBH980214	980214	9802+9814	1831000-2	10	255.00



CE CE 0321

BS EN 361 : 2002
Cert No : PC002570BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner, Energy Absorber
- * 2 Lanyard(1.8m) & 2 Big Steel Hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



0.55 x 0.33 x 0.25m, GW 23.5kg



Full Body Harness Set (980215)

Code	Model	Description	Art	Packing	RM
PCBH980215	980215	9802+9815	1831000-2	8	300.00



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back
- * Front buckle for strap adjustment
- * 2pcs D-Ring on Chest
- * Adjustable thigh strap
- * 1pc Carabiner
- * 1pc Carabiner on waist
- * 2 Lanyard(1.8m) & 2 Big Steel Hook, Energy Absorber
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



Full Body Harness Set (980315)

Code	Model	Description	Art	Packing	RM
PCBH980315	980315	9803+9815	1831000-2	8	340.00



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner, Webbing lanyard & snap hook (1.8m)
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002



Small Hook

XL Hook

Full Body Harness Set

Code	Model	Description	Art	Packing	RM
PCBH980216	980216	Small Hook	1831000-2	10	180.00
PCBH980217	980217	XL Hook	1831000-2	10	200.00



Positioning Belt

Code	Model	Art	Packing	RM
PCB9801	9801	1831000-1	10	100.00



- * 2 D-Ring intended for adjustable lanyard / rope adjuster
- * Belt Material - 100% Polyester

CE CE 0321



980213+9801



980313+9801




Full Body Harness + Positioning Belt

Code	Model	Description	Art	Packing
		980313+9801		
		980213+9801		



- * 1pc D-Ring & Carabiner on back
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 2pcs Lanyard, 2pcs Big Steel Hook & Energy Absorber (1.8m)
- * Belt Material - 100% Polyester
- * Size : Universal
- * CE 0194, EN362:2004/A

D W H 0.62 x 0.38 x 0.28m, GW 33.5kg




Full Body Harness Set

Code	Model	Packing	RM
PCBH681215	681215	12	220.00



- * 1pc D-Ring & Carabiner on back
- * Front buckle for strap adjustment
- * 2pcs D-Ring on Chest
- * Comfort Back Pad
- * Adjustable thigh strap
- * 1pc Carabiner on waist
- * 2pcs Lanyard, 2pcs Big Steel Hook & Energy Absorber (1.8m)
- * Belt Material - 100% Polyester
- * Size : Universal
- * CE 0194, EN362:2004/A

D W H 0.62 x 0.38 x 0.28m, GW 33.5kg



Full Body Harness Set

Code	Model	Packing	RM
PCBH681315	681315	10	260.00



1.8M Lanyard with Big Steel Hook

Code	Model	Packing	RM
PCL9813	9813	15	80.00



- * Art : 1858013
- * System breaking strength > 22.3KN
- * 12mm braided 100% polyester

CE CE 0321



0.36 x 0.25 x 0.245m, GW 11.3kg



BS EN 354 : 2010
Cert No : PC002569



1.8M Lanyard with Big Steel Hook & Energy Absorber

Code	Model	Packing	RM
PCL9814	9814	12	135.00



- * Art : 1858013
- * System breaking strength > 22.3KN
- * 12mm braided 100% polyester

CE CE 0321



0.36 x 0.25 x 0.245m, GW 9.6kg



BS EN 354 : 2010
Cert No : PC002569



1.8M Lanyard with 2 Big Steel Hook & Energy Absorber

Code	Model	Packing	RM
PCL9815	9815	8	185.00



CE CE 0321



BS EN 354 : 2010
Cert No : PC002569



0.4 x 0.3 x 0.26m, GW 15kg



1.8M Lanyard with Small Steel Hook & Energy Absorber

Code	Model	Packing	RM
PCL9843	9843	15	on request



- * Art : 1858013
- * System breaking strength > 22.3KN
- * 12mm braided 100% polyester

CE CE 0321



BS EN 354 : 2010
Cert No : PC002569



1.8M Lanyard with 2 Small Steel Hook & Energy Absorber

Code	Model	Packing	RM
PCL9845	9845	10	on request



CE CE 0321



BS EN 354 : 2010
Cert No : PC002569





Energy Absorber

Code	Model	Packing	RM
PCA9810	9810	25	60.00



* Can be fitted to spring, webbing or polyamide lanyard for shock absorbing purposes should a fall occur

* Art : 1858007

* Material : 100% Polyester

* Sirim : BS EN 361 : 2002

CE CE 0321



BS EN 355 : 2002
Cert No : PC002568

0.36 x 0.25 x 0.245m



Small Hook



XL Hook

1.8M Webbing Lanyard + Hook

Code	Model	Description	Packing	RM
PCWL9816	9816	Small Hook	25	70.00
PCWL9817	9817	XL Hook	20	90.00



* High resistant webbing , this is a general purpose fall arrest lanyard that suits almost any environments.

CE CE 0321



Large Steel Hook

Code	Model	Art	Packing	RM
PCLH9819	9819	1859004	40	40.00



CE CE 0321



Steel Carabiner

Code	Model	Packing	RM
PCC9812	9812	100	20.00



* Suitable to install with energy absorber, lanyards or any fall protection accessories & also directly incorporating with any full body harness

* Art : 1858007

CE CE 0321

0.3 x 0.2 x 0.2m, GW 23kg



Quick Link

Code	Model	Size	Packing	RM
IQL10	9820	10mm	200	6.70





Polyester Rope - 3 Strand

Code	Model	Size	RM
PCR9821-12	9821-12	12mm x 200m	1,800.00
PCR9821-14	9821-14	14mm x 200m	2,600.00



* Static Strength : 12mm > 22KN,
14mm > 33KN

* Weight : 12mm : 22kg±3%
14mm : 27kg±3%

$\frac{D}{W} \times H$ 0.104m³



Braided Polyester Rope

Code	Model	Size	RM
PCR9824-12	9824-12	12mm x 200m	2,360.00
PCR9824-14	9824-14	14mm x 200m	pre-order ✈
PCR9824-16	9824-16	16mm x 200m	pre-order ✈
PCR9824-18	9824-18	18mm x 200m	pre-order ✈



* Static Strength : 12mm > 22KN,
* Weight : 12mm : 23.5kg±3%
* Suitable for climbing mountain

$\frac{D}{W} \times H$ 0.064m³



Braided Rope For Mobile Fall Arrestor System

Code	Model	Length	Packing	RM
PCR9826-1220	9826-1220	20m	5	400.00
PCR9826-1230	9826-1230	30m	3	550.00

* Other length 40m ~ 100m , Pre-order

* 1pc Karabiner 9812

* Rope load strength >=2200 dan

* 12mm braided rope with 1 loop end

* For longer Length, consult us



CE EN 353-2



Tether Tools Lanyard with Aluminium Carabiner

Code	Model	Length	Packing	RM
PCTL9833	9833	2 x 90cm	50/150	20.00



* Tethers tools to help worker prevent injury,
damage and lost productivity from dropped tools.
* Energy-absorbing cord with tubular webbing
* Single-action aluminium carabiner
* Max.safe working capacity: 10lbs

$\frac{D}{W} \times H$ 0.4 x 0.3 x 0.4m, GW12.5kg





PCSH9825



Mobile Fall Arrester Part

Code	Model	Packing	RM
PCFA9827	9827	1	450.00



* 40mm Sling Belt with Snap Hook & Carabiner PCSH9825
Detachable Rope Grap PCDRG9824

CE EN 353-2

Automatic Operation:

For work requiring vertical movement, the PICASAF Grap Device follows the User by sliding freely on the rope. If the user falls, the PICASAF Grap locks immediately.

Manual Operation:

When working horizontally (platforms) or on sloping surface (roofs), the PICASAF Grap flow freely on one way & lock on reverse way, can only be released by hand to allow the device to slide.

Mobile Fall System Complete

Code	Model	Packing	RM
PCFS9828-1220	9828-1220	1	850.00
PCFS9828-1230	9828-1230	1	1,000.00



* 12mm braided rope with 1 loop PCR9826
* 40mm Sling Belt with Snap Hook & Carabiner PCSH9825
* Detachable Rope Grap PCDRG9824
* 1pc Carabiner PCC9812
* 1pc large steel hook PCLH9819


CE EN 353-2

Automatic Operation:

For work requiring vertical movement, the PICASAF Grap Device follows the User by sliding freely on the rope. If the user falls, the PICASAF Grap locks immediately.

Manual Operation:

When working horizontally (platforms) or on sloping surface (roofs), the PICASAF Grap flow freely on one way & lock on reverse way, can only be released by hand to allow the device to slide.





Escape Rope Ladder



Code	Model	Length	RM
PCPRL9835-05	9835	5m	300.00
PCPRL9835-10	9835	10m	600.00
PCPRL9835-XX	9835	20m	1200.00

* customize size by air courier

- * High strength polyster woven ladder rope
- * Anti-slip staircase stick
- * Heavy load capacity
- * Multiple safety protective manganese steel hooks
- * Strong and edemic wear resistant plastic buckle
- * Tail end proof winding
- * Material: High strength nylon & epoxy resin
- * Size: 5 Metres & 10 Metres
- * Rung length: 30cm
- * Gap Between Rung: 40cm
- * Rung thickness: 22cm
- * Load Capacity: 300kg
- * Weight: 3.4kg



* Pre-oder
* lead time : 45 days





Safety Lifting Block (Fall Arrestor)

Code	Model	Length	Packing	RM
PCB9831-10	9831-10	10m	5	2,000.00
PCB9831-15	9831-15	15m	2	2,500.00
PCB9831-20	9831-20	20m	2	3,000.00



- * Working Max Loading: 100kgs
- * Locking speed: 1m/s
- * Locking distance: less than 0.2m
- * Wire length: 10/15/20mm
- * Wire Thickness: 3.2mm
- * 20mm Polyamide Multi Strand Rope
- * CE certified meet EN360:2002



CE

EN360 : 2002
BS EN 362 : 2004



- * Material : Light Aluminium Alloy
- * Working loading stand : 8000N (800kgs)
- * Adjustable length : 134cm - 214cm
- * Winch with Automatic lock device
- * Wire length : 20M
- * Winch handle force : 200N

- * Working loading for winch : 180-200kgs
- * Mechanical Efficiency : 8:1
- * Net weight : 18.5kgs (w/o winch)
- * Gross weight : ±25kgs
- * Factory Test Report

CE



Safety Rescue Tripod

Code	Model	Height	RM
PCT9830	9830 (SJY-10)	1.7m(5.6ft) - 2.7m(8.8ft)	5,500



Fall Body Harness (Economic)

Code	Model	Description	Packing	RM
PCBHE787	787	Small Hock	20	72.00



- * 1pc D-Ring on back,
 - * Front buckle for strap adjustment
 - * Adjustable thigh strap
 - * 1.8m polyester lanyard & small hook
 - * 100% Polyester
- ** PP Belt will deteriorate over time & snap



Fall Body Harness (Economic)

Code	Model	Description	Packing	RM
PCBHE788	788	XL Hock	20	90.00



- * 1pc D-Ring on back,
 - * Front buckle for strap adjustment
 - * Adjustable thigh strap
 - * 1.8m polyester lanyard & XL hook
 - * 100% Polyester
- ** PP Belt will deteriorate over time & snap




Single Safety Belt (Economic)

Code	Model	Description	Packing	RM
PCSB727	727	Waist Belt	50	30.00



- * 1.8m polyester lanyard & small hook
 - * 100% Polyester
- ** PP Belt will deteriorate over time & snap



Polyester Cargo Lash (Ratchet Tie Down - H/Duty)

Code	Size	Colour	Packing	RM
PCCLM4208	2 x 8m	Yellow	10	66.00



* Breaking load: 10,000lbs

* 1.2kg

* Standard Handle



0.535 x 0.265 x 0.20m

CE EN 12195-2



Fixed Part : 230mm

Cargo Lash (Ratchet Tie Down - H/Duty)

Code	Size	Colour	Packing	RM
PCCLH5210	50mm x 10m	Orange	10	80.00



* Working Load: 2,500kg

* Breaking Load: 5,000kg

* 1.4kg

* Extra Long Handle



0.535 x 0.27 x 0.24m

CE DIN 60060



Ratchet Tie Down - L/Duty

Code	Size	Load	Packing	RM
PCRTD1X5	1" x 5m	1,000kg	50	20.00



0.535 x 0.26 x 0.20m



Fixed Part : 230mm

Ratchet Handle (Fixed Part)

Code	Size	Colour	Packing	RM
PCRHF2	50mm 2"	Orange	20	46.00



* Capacity : 5,000kg



Sling Lashing come with Hook

Code	Size	Colour	Packing	RM
PCSLH2X10	50mm x 10m	Orange	20	54.00



* Capacity : 5,000kg



Sling Lashing Belt

Code	Size	Colour	Packing	RM
PCSLB2X100	50mm x 100m	Orange	3	600.00



* Capacity : 5,000kg



WLL 1T	1.000
WLL 2T	2.000
WLL 3T	3.000
WLL 4T	4.000
WLL 5T	5.000
WLL 6T	6.000
WLL 8T	8.000
WLL 10T	10.000

Polyester Webbing Sling

- Safety Factor 6 : 1

* Straight sling with becketted (Folded) eye each and for vertical/ choker/ basket hitch

* Double Ply Temperature Range:-40C to +100C

Code	WLL	Length /m	Packing	RM
PCWS6-1X1	1 Ton (25mm)	1	100	10.00
PCWS6-1X2	1 Ton (25mm)	2	80	16.00
PCWS6-1X3	1 Ton (25mm)	3	50	21.00
PCWS6-1X4	1 Ton (25mm)	4	40	27.00
PCWS6-1X5	1 Ton (25mm)	5	30	32.00
PCWS6-1X6	1 Ton (25mm)	6	20	41.00
PCWS6-1X8	1 Ton (25mm)	8	15	52.00
PCWS6-1X10	1 Ton (25mm)	10	10	68.00
PCWS6-1X12	1 Ton (25mm)	12	10	82.00
PCWS6-2X1	2 Ton (50mm)	1	50	17.00
PCWS6-2X2	2 Ton (50mm)	2	40	27.00
PCWS6-2X3	2 Ton (50mm)	3	25	37.00
PCWS6-2X4	2 Ton (50mm)	4	20	48.00
PCWS6-2X5	2 Ton (50mm)	5	18	60.00
PCWS6-2X6	2 Ton (50mm)	6	15	71.00
PCWS6-2X8	2 Ton (50mm)	8	10	93.00
PCWS6-2X10	2 Ton (50mm)	10	8	130.00
PCWS6-2X12	2 Ton (50mm)	12	6	150.00
PCWS6-3X1	3 Ton (75mm)	1	30	26.00
PCWS6-3X2	3 Ton (75mm)	2	25	38.00
PCWS6-3X3	3 Ton (75mm)	3	20	56.00
PCWS6-3X4	3 Ton (75mm)	4	15	71.00
PCWS6-3X5	3 Ton (75mm)	5	10	91.00
PCWS6-3X6	3 Ton (75mm)	6	10	108.00
PCWS6-3X8	3 Ton (75mm)	8	6	138.00
PCWS6-3X10	3 Ton (75mm)	10	5	187.00
PCWS6-3X12	3 Ton (75mm)	12	5	224.00
PCWS6-4X2	4 Ton (100mm)	2	15	50.00
PCWS6-4X3	4 Ton (100mm)	3	10	74.00
PCWS6-4X4	4 Ton (100mm)	4	10	97.00
PCWS6-4X5	4 Ton (100mm)	5	10	119.00
PCWS6-4X6	4 Ton (100mm)	6	8	140.00
PCWS6-4X8	4 Ton (100mm)	8	6	187.00
PCWS6-4X10	4 Ton (100mm)	10	4	251.00
PCWS6-4X12	4 Ton (100mm)	12	4	300.00

Code	WLL	Length /m	Packing	RM
PCWS6-5X2	5 Ton (125mm)	2	10	68.00
PCWS6-5X3	5 Ton (125mm)	3	9	96.00
PCWS6-5X4	5 Ton (125mm)	4	8	123.00
PCWS6-5X5	5 Ton (125mm)	5	6	152.00
PCWS6-5X6	5 Ton (125mm)	6	6	180.00
PCWS6-5X8	5 Ton (125mm)	8	4	244.00
PCWS6-5X10	5 Ton (125mm)	10	3	306.00
PCWS6-5X12	5 Ton (125mm)	12	2	374.00
PCWS6-6X2	6 Ton (150mm)	2	10	84.00
PCWS6-6X3	6 Ton (150mm)	3	10	119.00
PCWS6-6X4	6 Ton (150mm)	4	8	148.00
PCWS6-6X5	6 Ton (150mm)	5	6	184.00
PCWS6-6X6	6 Ton (150mm)	6	4	216.00
PCWS6-6X8	6 Ton (150mm)	8	4	282.00
PCWS6-6X10	6 Ton (150mm)	10	3	374.00
PCWS6-6X12	6 Ton (150mm)	12	3	448.00
PCWS6-8X3	8 Ton (200mm)	3	6	194.00
PCWS6-8X4	8 Ton (200mm)	4	4	250.00
PCWS6-8X5	8 Ton (200mm)	5	4	300.00
PCWS6-8X6	8 Ton (200mm)	6	3	334.00
PCWS6-8X8	8 Ton (200mm)	8	2	440.00
PCWS6-8X10	8 Ton (200mm)	10	2	600.00
PCWS6-8X12	8 Ton (200mm)	12	1	700.00
PCWS6-10X4	10 Ton (250mm)	4	4	310.00
PCWS6-10X5	10 Ton (250mm)	5	3	380.00
PCWS6-10X6	10 Ton (250mm)	6	2	404.00
PCWS6-10X8	10 Ton (250mm)	8	2	530.00
PCWS6-10X10	10 Ton (250mm)	10	1	760.00
PCWS6-10X12	10 Ton (250mm)	12	1	900.00
PCWS6-12X6	12 Ton (300mm)	6	1	510.00
PCWS6-12X8	12 Ton (300mm)	8	1	670.00
PCWS6-12X10	12 Ton (300mm)	10	1	912.00
PCWS6-12X12	12 Ton (300mm)	12	1	1080.00





WLL 1T	1.000
WLL 2T	2.000
WLL 3T	3.000
WLL 4T	4.000
WLL 5T	5.000
WLL 6T	6.000
WLL 8T	8.000
WLL 10T	10.000

Polyester Webbing Sling - Safety Factor 7 : 1

Code	WLL	Length /m	Packing	RM
PCWS7-1X1	1 Ton (30mm)	1	80	11.00
PCWS7-1X2	1 Ton (30mm)	2	50	18.00
PCWS7-1X3	1 Ton (30mm)	3	38	24.00
PCWS7-1X4	1 Ton (30mm)	4	30	29.00
PCWS7-2X1	2 Ton (60mm)	1	40	20.00
PCWS7-2X2	2 Ton (60mm)	2	30	30.00
PCWS7-2X3	2 Ton (60mm)	3	20	43.00
PCWS7-2X4	2 Ton (60mm)	4	20	56.00
PCWS7-2X5	2 Ton (60mm)	5	12	70.00
PCWS7-2X6	2 Ton (60mm)	6	10	83.00
PCWS7-2X8	2 Ton (60mm)	8	8	109.00
PCWS7-3X2	3 Ton (90mm)	2	18	48.00
PCWS7-3X3	3 Ton (90mm)	3	12	71.00
PCWS7-3X4	3 Ton (90mm)	4	10	90.00
PCWS7-3X5	3 Ton (90mm)	5	8	110.00
PCWS7-3X6	3 Ton (90mm)	6	6	131.00
PCWS7-3X8	3 Ton (90mm)	8	5	173.00
PCWS7-3X10	3 Ton (90mm)	10	4	215.00

* Straight sling with becketted (Folded) eye each and for vertical/ choker/ basket hitch

* Double Ply Temperature Range:-40C to +100C

Code	WLL	Length /m	Packing	RM
PCWS7-4X3	4 Ton (120mm)	3	9	106.00
PCWS7-4X4	4 Ton (120mm)	4	8	140.00
PCWS7-4X5	4 Ton (120mm)	5	6	172.00
PCWS7-4X6	4 Ton (120mm)	6	5	205.00
PCWS7-4X8	4 Ton (120mm)	8	4	271.00
PCWS7-5X3	5 Ton (150mm)	3	8	136.00
PCWS7-5X4	5 Ton (150mm)	4	6	177.00
PCWS7-5X5	5 Ton (150mm)	5	5	218.00
PCWS7-5X6	5 Ton (150mm)	6	4	260.00
PCWS7-6X6	6 Ton (180mm)	6	3	323.00
PCWS7-6X8	6 Ton (180mm)	8	2	426.00
PCWS7-6X10	6 Ton (180mm)	10	2	529.00

* Safety Factory Weight (Kg)

(±3%)	4:1	5:1	6:1	7:1
2 ton x 3m	0.61	0.81	0.91	1.06kg
3 ton x 6m	1.81	2.46	2.79	3.26kg





Safety Construction Mesh PE (Blue)

Code	Size	Packing	RM
PCCM18X52B	1.82 x 5.18m (6'x17')	10/30	36.00

- * Material : PE
- * Colour : Blue
- * Weight : 1.0kg
- * Eyelet Spacing : 50 ~ 55cm
- * Parameter reinforced with rope prevents breakage.
- * Total Eyelets: 24 ~ 28pcs for easy connecting




Safety Construction Mesh PE (Green)

Code	Size	Packing	RM
SCMP6X17	1.82 x 5.1m (6'x17')	10/30	30.00

- * Material : PE
- * Colour : Apple Green
- * Weight: 0.85 ~ 0.875kg
- * Eyelet Spacing : 50 ~ 55cm
- * Parameter reinforced with rope prevents breakage.
- * Total Eyelets: 24 ~ 28pcs for easy connecting

0.68 x 0.53 x 0.6m



Good Quality Material



Ring Hole




Durable Edge



**Safety Fence - Orange**

Code	Size	Density	Packing	RM
PCSF9136	1m x 50m	100gsm	5 rolls (5kg/roll)	180.00

- * Material : PE
- * Mesh Spacing : 30 X 65mm
- * Density : 100g/m²
- * Net Weight : 5.0kg
- * Easy to install
- * Meets demands of construction sited specification



(Blink , Static & Torch)

**Baton Light with Torch**

Code	Model	Size	Packing	RM
PCBL404	BL404	400 x 40mm	50	26.00



- * Bulb : 4 x Red LED
- * Material : PVC(tube),ABS(Handle)
- * Operate : -40° ~ 75°C, Rain
- * Battery : Type D x 2 (not included)
- * Distant : >300m (In dark)
- * Out put on full charge (hours):80hours

(Blink & Static)

**Baton Light**

Code	Model	Size	Packing	RM
PCBL966	BL966	540 x 40mm	50	20.00



- * Bulb : 6 x Red LED
- * Material : PVC(tube), ABS(Handle)
- * Operate : -40° ~ 75°C, Rain
- * Battery : Type D x 2 (not included)
- * Distant : >300m (In dark)
- * Out put on full charge (hours):80hours


 0.56 x 0.27 x 0.54m
**Triangle Sign**

Code	Model	Description	Packing	RM
PCTS9227	9227	Plastic Case	30	30.00



 0.455 x 0.455 x 0.315m
**Triangle Sign**

Code	Model	Description	Packing	RM
PCTS9221	9221	Paper Box	50	13.00



 0.43 x 0.255 x 0.245m




On/Off Switch

LED Head Light

Code	Model	Description	Packing	RM
PCHL9710	9710	Led	25/100	16.00



- * Use Dry Cell Battery 3pcs AAA (not included)
- * Extensive Lifetime of LED (100,000hrs)
- * Adjustable Head Strap Held
- * 2 methods to switch on the Torch or Flashlight function
- * Weight: 100g ; Diameter Lamp: 42.5mm
- * Material: ABS Engineering Plastic
- * 7 lights 3.0-3.4v / 12.000mcd / white LED



0.555 x 0.415 x 0.52m



Rechargeable Head Lamp

Code	Model	Description	Packing	RM
PCRHL9720	9720	12 Led	100	25.00*



- * Material: PP Plastic
- * Size: 17 x 10.5cm



0.52 x 0.4 x 0.32m

Battery Capacity	400mAh
Voltage	AC 100-240V ~50/60Hz
Current	AC 0.05A 0.4W
Power Factor	0.1
Power	0.8 W
Charge time	8 Hours
Using time	3.5 / 6.5 Hours (strong / weak degree)



Head light can be adjusted around 90 degrees

Rechargeable Head Lamp

Code	Model	Description	Packing	RM
PCRHL9721	9721	12 Led	90	30.50



- * Battery Capacity: 800mAh
- * Power Source : 1W
- * Charge rated voltage : AC90V-240V 50HZ/60HZ
- * Charging Current Rating : AC0.08A 0.5W
- * Ambient temperature : -10°C - 40°C
- * Using ambient air humidity : <90%
- * Charging Time : 12 hours
- * Living Time : 6.5 hours (Low Lighting Setting)
19 hours (High Lighting Setting)



0.662 x 0.41 x 0.34m

Intensity adjustment

2 light mode : high ligh & low light



Flexible Toutheng and head cushions

With adjustable and elastic head band for conveniently put on or take off



Charge Indicator

Showing a clear state of emergency light, LED emergency light for better maintenance



18cm

10.5cm

Rechargeable LED Torch Light

Code	Model	Description	Packing	RM
PCRTL9740	9740	15Led	60/ctn	40.00



- * Built-in high up to 1500Mah free maintenance sealed leadacid rechargeable battery
- * 12 hours are needed for a full charge time on 1st time
- * Strong Light can be used continuously for 8 hours
- * Small Light can be used continuously for 18 hours



0.575 x 0.45 x 0.44m



Lantern Torch Light

Code	Model	Description	Packing	RM
PCTL9730	9730	6V	48	22.00



- * 4R25 Lantern Battery (not included)



0.575 x 0.47 x 0.48m



Lantern Battery

Code	Model	Description	Packing	RM
PCLB9236	9236	6Volt, 4R25	24	12.20



- * Model : 6V 4R25 Lantern Battery
- * Average Weight : 570g
- * Voltage : 6 V
- * Type : Zinc Carbon
- * Chemistry : Manganese Dioxide, Znc, Zinc Chloride, Carbon Black
- * Self Life : 2 Years



0.43 x 0.29 x 0.14m



Solar Signal Lamp - 2 in 1

Code	Model	Colour	Packing	RM
PCSSL9233A	9233	Amber	12	84.00



- * 7" PS lens and PP body
- * Normal 2 LED flashlight, Standard flash rate is 65± 10 times/min
- * Function: flash and close, also can choose long bright and flash
- * With metal bracket



 0.45 x 0.29 x 0.34m



Signal Lamp

Code	Model	Colour	Packing	RM
PCSL9230Y	9230	Amber	12	40.00
PCSL9230R	9230	Red	12	40.00



- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 fash/minute
- * Batteries not included
- * 4R25 Battery x 2pcs

 0.495 x 0.37 x 0.35m



Single Battery Signal Lamp

Code	Model	Colour	Packing	RM
PCSL9231Y	9231	Amber	12	42.00



- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 fash/minute
- * Batteries not included
- * 4R25 Battery x 1pc

 0.495 x 0.37 x 0.35m



Signal Lamp

Code	Model	Colour	Packing	RM
PCSL9230B	9230	Blue	12	48.00



- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 fash/minute
- * Batteries not included
- * 4R25 Battery x 1pc

 0.495 x 0.37 x 0.35m



Indoor Mirror



Outdoor Mirror



- * Mirror surface : PC or Acrylic
- * Mirror back : ABS or PP
- * Viewing angle : 130°
- * Used in the road cross, corner , supermarket or other place
- * Pc lens, Pc material has a high impact resistance, not easy broke
- * The color is striking orange, no matter day or night, it has high visibility

Convex Mirror - Polycarbonate

Code	Size	Description	Packing	RM
PCCMP24IN	24"/60cm	Indoor	5	300.00
PCCMP24OUT	24"/60cm	Outdoor	5	300.00
PCCMP32	32"/80cm	Outdoor	2	500.00
PCCMP40	40"/100cm	Outdoor	1	730.00



PCCMP24IN : 0.825 x 0.53 x 0.635m
PCCMP24OUT: 0.825 x 0.12 x 0.835m




Convex Mirror (S/Steel)

Code	Size	Description	Packing	RM
PCCMS60	600mm	Indoor	1	460.00



- * Provide a wider field of view as they are curved outwards.
- * Come with Wall Bracket, made in Taiwan



Safety Cone - PE

Code	Model	Size	Packing	RM
PCSC9301	9301	18" 1R	1	29.00



- * Suitable athletics, landscaping, parking and more
- * Great choice for use during day, night, in dark or gloomy condition



Safety Cone - PE

Code	Model	Size	Packing	RM
PCSC9302	9302	30" 1R	225	39.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective 4"
- * Weight : 2 ~ 2.2kg




Safety Cone - PE (Black Base)

Code	Model	Size	Packing	RM
PCSC9303B	9303	30" 1R	225	37.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective 4"
- * Weight : 2 ~ 2.2kg




Soft PVC Cone

Code	Model	Size	Packing	RM
PCSC9305	9305	28" 2R		69.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * 2 reflective, NW 5Lb
- * Weight : 2.2 ~ 2.4kg



Soft PVC Cone (Black Base)

Code	Model	Size	Packing	RM
PCSC9306B	9306	28" 2R		76.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * 2 reflective, NW 7Lb
- * Weight : 3.1 ~ 3.3kg



Safety Cone

Code	Model	Size	Packing	RM
PCSC9312	9312	30" 1R		41.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6"
- * Weight : 2 ~ 2.2kg




Safety Cone - PE (Black Base)

Code	Model	Size	Packing	RM
PCSC9313B	9313	30" 1R		39.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6"
- * Weight : 2 ~ 2.2kg




Safety Cone - PE

Code	Model	Size	Packing	RM
PCSC9315	9315	30" 2R		44.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6" & 4"
- * Weight : 2 ~ 2.2kg



Safety Cone - PE (Black Base)

Code	Model	Size	Packing	RM
PCSC9316B	9316	30" 2R		42.00



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6" & 4"
- * Weight : 2 ~ 2.2kg



Fold Type Retractable Cone With LED

Code	Model	Size	Packing	RM
PCSC9308	9308	60cm	20	72.00



- * Great choice for use during day, night, in dark or gloomy condition
- * Orange waterproof material with Reflective
- * Collapsed flat for Easy Storage in car boot
- * 2x3AAA Battery (not included)





Cone Barrier Pole

Code	Model	Colour	Length	RM
PCCBP9460RW	9460	Red White	1.2m ~ 2.2m	30.00
PCCBP9460BY	9460	Black Yellow	1.2m ~ 2.2m	30.00



- * Material Body : PVC
- * Pole Diameter : 32mm & 40mm

- * Circle Diameter: 105mm
- * Weight: 0.7 ~ 0.8kg
- * Packing : 50/ctn



Delineator Pole - Premium TPU

Code	Model	Size	Packing	RM
PCDPT9401	9401	8Ø x 75cm	10	100.00



- * **Heavy Duty**
- * Dia 8 x H 75cm. TPU: Flexible, Durable ; NW 1.45kg
- * Vehicle Impact: Bound up very fast. Long duty cycle
- * Without screw.

Delineator Pole - China TPU

Code	Model	Size	Packing	RM
PCDPC9402	9402	8Ø x 75cm	16	86.00*



- * **Medium Duty**
- * Bound: Medium Speed ; NW 1.35kg
- * Vehicle Impact will not last as 9401 Delineator Pole.
- * China TPU: Flexible but not Durable
- * PVC: Press down slowly come up
- * Without screw


 0.83 x 0.28 x 0.81m, GW 22kg



Road Barrier - Plastic

Code	Model	Colour	Size (LxBxH)	RM
PCRB9410R	9410	Red	1mx0.48mx0.81m	240.00
PCRB9410W	9410	White	1mx0.48mx0.81m	240.00



- * Act as traffic safety barriers for channeling vehicles or pedestrian traffic
- * WT : 7.0 kg
- * Plastic Material : PE



Road Stud Reflector - Double Side

Code	Description	Size	Packing	Packing
PCRSR9420	Aluminium	100x100x20mm	50	18.00



- * Load bearing: 20 tons ; Water Resistant
- * Handle depth: 45mm ; Colour: Amber





Road Hump Body

Code	Model	Colour	L x W x H (mm)	RM
PCRHB9430Y	9430	Yellow	500x350x50	108.00
PCRHB9430B	9430	Black	500x350x50	108.00



- * Packing : 4
- * Material: Rubber in Black & Yellow
- * 4 Mounting Points Give Excellent Adhesion to Road Surface



0.5 x 0.35 x 0.20m, GW 25kg



Road Hump End

Code	Model	Colour	L x W x H (mm)	RM
PCRHE9431Y	9431	Yellow	170x350x50	70.00
PCRHE9431B	9431	Black	170x350x50	70.00



- * Packing : 12
- * 2 Mounting Points Give Excellent Adhesion to Road Surface



Wood Screw & Plug for Hump & Pole

Code	Screw Size	Plug Size	Packing	RM
WSPM10X90	M10 x 90	14 x 75	12/60	3.60

- * Screw, plug, washer
- * for Delineator pole, Road hump,
- * Suitable for Asphalt Road (柏油路)
- * NOT for concrete surface (水泥路)



柏油路



水泥路



Vehicle Wheel Stopper

Code	Model	Kg	L x W x H (mm)	RM
PCVWS9440	9440	4.5	550x150x100	78.00



- * Packing : 6
- * Suitable for light commercial vehicles
- * Prevents damage to property / protects pedestrian walkways
- * Reflective tape is moulded on for increased visibility
- * Easy to install & reinstate, simply bolt down
- * Material: Rubber (SBR)
- * Wood Screw Length 5" on Asphalt Road



0.6m³, GW 9kg



Edge Protection Guard

Code	Model	L x W x H (mm)	Packing	RM
PCEPG9450	9450	800x100x100x10	20	25.00



- * Specially designed product for basement and any other area having pillars
- * Special smooth surface on the outside avoids scratches to the vehicles
- * Reflective sticker provides better visibility in the night.
- * Material: Rubber (SBR)
- * High Impact Resistant, High Intensity Reflector
- * Road Plug Required For Installation : 6 ~ 8pcs (not provided)



0.8 x 0.42 x 0.12m, GW 30kg



Reflective Adhesive Tape

Code	Colour	Size	Packing	RM
PCRAT2YB	Yellow / Black	2"x45.7m	20 Rolls	100.00 ↓
PCRAT2RW	Red / White	2"x45.7m	20 Rolls	100.00 ↓
PCRAT2W	White	2"x45.7m	20 Rolls	80.00 ↓



- * Good Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs



Reflective Lattice Tape

Code	Size	Colour	Packing	RM
PCRTL60W	60mmx50m	White	20	120.00*
PRE-ORDER	1.24mmx50m	White	1	lead time 45 days



- * Adhesive Base
- * Can Print But Colour Will Fade Within 12 Months On Outdoor
- * Application : Delineator Pole, Warning Signage
- * Pre-order For Other Sizes and Colours, 2" ~ 24".



Reflective Tape - TC

Code	Size	Colour	Packing	RM/m	RM/roll
PCRTT2	2"x200m	Grey	1 Roll	2.00	400.00



- * Non-Adhesive (waist coat)



Reflective Sheet - Pet 3100#

Code	Size	Colour	Packing	RM
PCRSP03W	0.3x45.7m	White	1 Roll	400.00
PCRSP047W	0.47x45.7m	White	1 Roll	600.00



- * Application: Safety Cone, Advertisement (can print)
- * Pre-order For Other Sizes & Colours.






PVC Delineator Reflective

Code	Size	Colour	Packing	RM
PCDR50G	50pc x 50m	Green	10	100.00
PCDR50R	50pc x 50m	Red	10	100.00



* Delineator Reflective can be used to control crowds & to direct traffic or demarcation dangerous areas.

* Colour: Orange Red, Lemon Yellow




Warning Sticker (Left / Right)

Code	Colour	Size	Packing	RM/set
BN-S0018	Red / Yellow	120x480mm	10/100	16.00



Sticker Paper

Code	Description	Packing	RM
PCSP70/80	70/80Km/J	100/1000	1.20
PCSP80/90	80/90Km/J	100/1000	1.20



Reflective Tape - PVC

Code	Size	Colour	Packing	RM
PC RTP1W	1"x50m	White	20	60.00
PC RTP2W	2"x50m	White	20	120.00
PC RTP2R	2"x50m	Red	20	120.00



* Non-Adhesive (waist coat)





Horizontal Reflective Label (Left / Right)

Code	Model	Size	Packing
3MDG3HS	DG3HS	600x150mm	100



- * Type 1 & 2 (Horizontal & Vertical)
- * Excellent Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs



Kenderaan Panjang & Lebar Reflective Label

Code	Model	Size	Packing
3MDG3KPL	DG3KPL	745x250mm	100



- * Type 4 (Long & Wide)
- * Excellent Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs



Kenderaan Panjang & Lebar Reflective Label

Code	Model	Size	Packing
3MDG3SM	DG3SM	45.7mx50.8mm	1 roll



- * Type 5 (Side Marking)
- * 150pcs / roll
- * Excellent Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs






PE Barricade Tape

Code	Size	Colour	Packing	RM
PCPBT350RW	3" x50y	Red / White	100	5.80



- * High strength and good flexibility provide excellent manipulating power
- * Bright colour which help to strengthen the visual
- * Suitable for traffic alert, equipment storage, first aid as well as wall storage
- * Colour: Red / White 10/15cm 0.35mm

 0.49 x 0.39 x 0.36m



PE Barricade Tape

Code	Size	Colour	Packing	RM
PCPBT270RW	2" x70m	Red / White	100	6.20
PCPBT370RW	3" x70m	Red / White	72	8.00



- * High strength and good flexibility provide excellent manipulating power
- * Bright colour which help to strengthen the visual
- * Suitable for traffic alert, equipment storage, first aid as well as wall storage
- * Colour: Red / White 10/10cm 0.4mm

 PCPBT270RW : 0.53 x 0.42 x 0.225m
PCPBT370RW : 0.42 x 0.32 x 0.43m



PE Barricade Tape

Code	Size	Colour	Packing	RM
PCPBT270YB	2" x70m	Yellow / Black	100	7.00
PCPBT370YB	3" x70m	Yellow / Black	72	9.00



- * High strength and good flexibility provide excellent manipulating power
- * Bright colour which help to strengthen the visual
- * Suitable for traffic alert, equipment storage, first aid as well as wall storage
- * Colour: Yellow / Black 10/10cm 0.4mm

 0.42 x 0.32 x 0.43m



Floor Marking Tape

Code	Size	Colour	Packing	RM
SBFMT48YL	48mm X 33yards	Yellow	54	12.00



Floor Marking Tape (double colour)

Code	Size	Colour	Packing	RM
SBFMT48YB	48mm X 33yards	Yellow/Black	54	13.20



Plastic Chain

Code	Size (mm)	Colour	Packing	RM
PCPC625RW	6 x 25	White+Red	8/ctn	76.00



- * Durable & hardwearing plastic chain lengths ideal for use with barrier systems and other demarcation solutions
- * Easily cut to length or joined together using jointing links
- * Strong and sturdy
- * Multi-purpose – ideal for a variety of uses and situations



Plastic Chain

Code	Size (mm)	Colour	Packing	RM
PCPC625Y	6 x 25	Yellow	8/ctn	69.00
PCPC625R	6 x 25	Red	8/ctn	69.00
PCPC625W	6 x 25	White	8/ctn	69.00
PCPC820W	8 x 20	White	8/ctn	84.00
PCPC825Y	8 x 25	Yellow	8/ctn	106.00
PCPC825R	8 x 25	Red	8/ctn	106.00
PCPC825B	8 x 25	Blue	8/ctn	106.00
PCPC825G	8 x 25	Green	8/ctn	106.00
PCPC825W	8 x 25	White	8/ctn	106.00



- * Durable & hardwearing plastic chain lengths ideal for use with barrier systems and other demarcation solutions
- * Easily cut to length or joined together using jointing links
- * Strong and sturdy
- * Multi-purpose – ideal for a variety of uses and situations





No Smoking Sign

Code	Model	Size	Packing	RM
PCMS92013	92013	300x400x2.0mm	20	13.00



* Rigid Plastic Sheet



No Smoking Sign

Code	Model	Size	Packing	RM
PCMS92014	92014	400x500x0.3mm	50	13.00



* Thin Plastic Sheet



Caution Floor Sign

Code	Model	Description	Packing	RM
PCFS92201	92201	Wet Floor	10	30.00
PCFS92202	92202	No Parking	10	30.00



* Rigid Plastic Sheet

* Size : 300x400x2.0



0.65 x 0.545 x 0.275m

Mandatory Signs

RM16.00



Model	92001
Code	PCMS92001
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92003
Code	PCMS92003
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92004
Code	PCMS92004
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92005
Code	PCMS92005
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92006
Code	PCMS92006
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92007
Code	PCMS92007
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92008
Code	PCMS92008
Size	300x400x2.0mm
Type	Rigid Plastic Sheet




Model	92009
Code	PCMS92009
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92010
Code	PCMS92010
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92011
Code	PCMS92011
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92012
Code	PCMS92012
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Fibre Cloth (Asbestos Free) E-Glass 105

Code	Thickness	Height	Kg/Roll	m/Roll	RM
PCFCEG10	1.0mm	1m	20	30m	550.00
PCFCEG15	1.5mm	1m	27	30m	700.00
PCFCEG30	3.0mm	1m	50	30m	1,300.00



* Refractoriness : 350°C - 500°C



Fibre Cloth (Satin Brown) - HT800

Code	Model	Thickness	Height	m/Roll	RM
PCFCHT10	HT800	1.0mm	1m	50m	1,100.00



* Refractoriness : 500-650°C
(Welding Blanket, Heat Treated)



Fibre Tape E-Glass 106

Code	Width	Thickness	Kg/Roll	m/Roll	RM
PCFTEG2	2"	3.0m	2.5	25m	75.00
PCFTEG3	3"	3.0m	2.5	16.7m	75.00



Fire Blanket

Code	Size	Brand	Packing	RM
PCFB4X6	4' x 6'	Picasaf	20	120.00
PCFB6X6	6' x 6'	Picasaf	10	180.00



* Material : Fiberglass
* Density : 430gm/m²
* Refractoriness : <500°C



Asbestos Cloth (Dust Free) - FD105

Code	Thickness	Height	Kg/Roll	RM
PCAC15	1.5mm	1m	50	1050.00
PCAC20	2.0mm	1m	50	700.00
PCAC30	3.0mm	1m	50	600.00



* Refractoriness : 350°C - 500°C



Asbestos Tape - 106

Code	Width	Thickness	Kg/Roll	m/Roll	RM
PCAT15	1½"	3.0m	2.5	50kg	17.00
PCAT20	2"	3.0m	2.5	50kg	17.00
PCAT25	2½"	3.0m	5.0	50kg	17.00
PCAT30	3"	3.0m	5.0	50kg	17.00



Asbestos Yarn Rope - FD101

Code	Width	Kg/Roll	Kg/ctn	RM
PCAYR3/16	3/16"	2.5	50kg	17.00
PCAYR1/4	1/4"	5.0	50kg	17.00
PCAYR5/16	5/16"	5.0	50kg	17.00
PCAYR3/8	3/8"	5.0	50kg	17.00
PCAYR1/2	1/2"	5.0	50kg	17.00



PROTECT YOUR FEET

